

DOB/Gender

Lab No.

Insurance

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

: ROSELLE MIRIEL MALLARI SAN PABLO Name

: 19-10-1985 (38 Yrs 9 Days/Female)

: 22233010152

Request Date : 28-10-2023 14:55

File. No. : AAL02-355072

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 35579

: NATIONAL GENERAL INSURANCE (HEALTHNET)

LIPID PROFILE I

Test Name	Result	Units	Ref. Range	Method
Cholesterol (serum)	209.6 ^H	mg/dL	Desirable: < 200 Border High: 200 - 239 High: >= 240	Enzymatic
Triglycerides (serum)	44.0	mg/dL	Normal: < 150 Borderline High: 150 - 199 High: 200 - 499 Very High: >= 500	Glycerol Phosphate Oxidase
HDL Cholesterol	72.4	mg/dL	> 40.0	Accelerator Selective Detergent
LDL Cholesterol	135.6 ^H	mg/dL	Optimal: < 100 Near Optimal: 100 - 129 Borderline High: 130 - 159 High: 160 - 189 Very High: >= 190	Liquid Selective detergent
*VLDL	8.8	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	2.9	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: > 6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 28-10-2023 12:00:00 Received On: 28-10-2023 15:02:00 Authenticated On: 28-10-2023 16:55:38

Released On: 28-10-2023 17:26:04

Printed On: 28-10-2023 17:33:33

Rhea Suberon

Medical Laboratory Technician

DHA/LS/123639

