


Laboratory Investigation Report



BML295151


Name	: Miss. MICHELLA BULADO	Ref No.	: 40537
DOB	: 19/02/1985	Sample No.	: 2310298939
Age / Gender	: 38 Y / Female	Collected	: 31/10/2023 16:40
Referred by	: DR ENOMEN	Registered	: 31/10/2023 16:36
Centre	: Peshawar Medical Center LLC	Reported	: 31/10/2023 18:38

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
C-REACTIVE PROTEIN (CRP)	12.8	H	mg/L	< 5.0 Please note change in reference range.	Immunoturbidimetry

Sample Type : Serum

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report


Page 1 of 3


NAZAR MOHAMED ALI
Laboratory Technologist
Printed on: 31/10/2023 18:47

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.



Laboratory Investigation Report



BML295151

Name : Miss. MICHELLA BULADO
DOB : 19/02/1985
Age / Gender : 38 Y / Female
Referred by : DR ENOMEN
Centre : Peshawar Medical Center LLC

Ref No. : 40537
Sample No. : 2310298939
Collected : 31/10/2023 16:40
Registered : 31/10/2023 16:36
Reported : 31/10/2023 17:20

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	12.7		g/dL	12 - 15.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	4.4		10 ⁶ /μL	3.9 - 5	Electrical Impedance
HEMATOCRIT	37.6		%	35 - 45	Calculation
MCV	85.5		fL	82 - 98	Calculation
MCH	28.8		pg	27 - 32	Calculation
MCHC	33.7		g/dL	32 - 37	Calculation
RDW	13.2		%	11.9 - 15.5	Calculation
RDW-SD	40.3		fL		Calculation
MPV	9.3		fL	7.6 - 10.8	Calculation
PLATELET COUNT	250		10 ³ /μL	150 - 450	Electrical Impedance
PCT	0.2		%	0.01 - 9.99	Calculation
PDW	16.9		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC) [^]	0.3		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT [^]	0.02		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC) [^]	0.6		%		Flow Cytometry
ABSOLUTE EGC [^]	0.0		10 ³ /uL		Calculation
WBC COUNT	6.2		10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	79	H	%	40 - 75	Flow Cytometry
LYMPHOCYTES	14	L	%	30 - 60	Flow Cytometry
EOSINOPHILS	2		%	0 - 6	Flow Cytometry
MONOCYTES	5		%	1 - 6	Flow Cytometry
BASOPHILS	0		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	4.9		10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	0.5	L	10 ³ /uL	1.2 - 6.6	Calculation
ABSOLUTE MONOCYTE COUNT	0.6		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.1		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.0		10 ³ /uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist



MOHAMMED RASHID CHENANGADATH
Laboratory Technologist


This is an electronically authenticated report

Page 2 of 3

Printed on: 31/10/2023 18:47

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Laboratory Investigation Report

BML295151

Name	: Miss. MICHELLA BULADO	Ref No.	: 40537
DOB	: 19/02/1985	Sample No.	: 2310298939
Age / Gender	: 38 Y / Female	Collected	: 31/10/2023 16:40
Referred by	: DR ENOMEN	Registered	: 31/10/2023 16:36
Centre	: Peshawar Medical Center LLC	Reported	: 31/10/2023 17:20

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------


COMPLETE BLOOD COUNT (CBC)

Comments : Please correlate clinically

Interpretation Notes : Please note update on CBC report format and changes in reference ranges.

Sample Type : EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 3 of 3

MOHAMMED RASHID CHENANGADATH
Laboratory Technologist

Printed on: 31/10/2023 18:47

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

