

LABORATORY REPORT

Name	: CHARITO SOLIS NAIGAN	File. No.	: AAL02-356462
DOB/Gender	: 11-02-1975 (48 Yrs 8 Month 23 Days/Female)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22233070246	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 03-11-2023 18:56:24	Clinic File No	: 41346
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Troponin I - Quantitative (serum)	0.0010	ng/mL	0.0000 - 0.0156	CMIA

Note: Values should be correlated with the clinical findings and ECG picture along with CKMB (Mass) and Myoglobin levels, before rulling out AMI. A

Sequential follow-up of Troponin I levels is recommended 4 hours and 8 hours post onset of symptoms/ post admission for suspected AMI cases.

Kindly note new reference range for Troponin I effective from 14/1/2016

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 03-11-2023 16:00:00 Received On : 03-11-2023 19:01:00
Authenticated On : 03-11-2023 20:38:44 Released On : 03-11-2023 20:39:17



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: CHARITO SOLIS NAIGAN	File. No.	: AAL02-356462
DOB/Gender	: 11-02-1975 (48 Yrs 8 Month 23 Days/Female)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22233070246	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 03-11-2023 18:56:24	Clinic File No	: 41346
Insurance	: No		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol (serum)	318.0^H	mg/dL	Desirable: < 200 Border High: 200 - 239 High: >= 240	Enzymatic
Triglycerides (serum)	213.0^H	mg/dL	Normal: < 150 Borderline High: 150 - 199 High: 200 - 499 Very High: >= 500	Glycerol Phosphate Oxidase
HDL Cholesterol	54.2	mg/dL	> 40.0	Accelerator Selective Detergent
LDL Cholesterol	227.2^H	mg/dL	Optimal: < 100 Near Optimal: 100 - 129 Borderline High: 130 - 159 High: 160 - 189 Very High: >= 190	Liquid Selective detergent
*VLDL	36.6^H	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	5.9^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: > 6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 03-11-2023 16:00:00 Received On : 03-11-2023 19:43:00
Authenticated On : 03-11-2023 20:38:44 Released On : 03-11-2023 20:39:17



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430