

Laboratory Investigation Report

BML299443

Name : Ms. ANJALI
DOB : 09/07/1991
Age / Gender : 32 Y / Female
Referred by : DR ENOMEN
Centre : Peshawar Medical Center LLC


Ref No. : 41379
Sample No. : 2311303271
Collected : 06/11/2023 19:00
Registered : 07/11/2023 16:51
Reported : 07/11/2023 18:40

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
C-REACTIVE PROTEIN (CRP)	4.9		mg/L	< 5.0 Please note change in reference range.	Immunoturbidimetry

Sample Type : Serum

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist


SAGAR MURUKESAN PILLAI MOLY
Laboratory Technologist

This is an electronically authenticated report


Page 1 of 4

Printed on: 08/11/2023 13:41

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.



Laboratory Investigation Report



BML299443

Name	: Ms. ANJALI	Ref No.	: 41379
DOB	: 09/07/1991	Sample No.	: 2311303271
Age / Gender	: 32 Y / Female	Collected	: 06/11/2023 19:00
Referred by	: DR ENOMEN	Registered	: 07/11/2023 16:51
Centre	: Peshawar Medical Center LLC	Reported	: 08/11/2023 00:46

CLINICAL PATHOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
URINE ANALYSIS (ROUTINE)					
MACROSCOPIC EXAMINATION					
COLOR	YELLOW			Pale to Dark Yellow	Visual
APPEARANCE	TURBID			-	Visual
CHEMISTRY EXAMINATION					
SPECIFIC GRAVITY	1.020			1.002 - 1.035	Bromothymol blue
PH	6.0			4.5 - 8.0	Litmus paper
GLUCOSE	NEGATIVE			Negative	GOD / POD
BLOOD	TRACE			Negative	Peroxidase
PROTEIN	NEGATIVE			Negative	Protein error of pH indicator
LEUKOCYTE ESTERASE	+++			Negative	Esterase
UROBILINOGEN	0.2		E.U./dL	0.2 - 1.0	Diazo
BILIRUBIN	NEGATIVE			Negative	Diazo
KETONE	NEGATIVE			Negative	Legal's test
NITRITE	NEGATIVE			Negative	Griess test
MICROSCOPIC EXAMINATION					
LEUCOCYTES	20 - 25	H	/HPF	1 - 4	Microscopy
ERYTHROCYTES	1 - 2		/HPF	0 - 2	Microscopy
EPITHELIAL CELLS	10 - 12		/HPF	Variable	Microscopy
BACTERIA	+		/HPF	Absent	Microscopy
CASTS	ABSENT		/HPF	Absent	Microscopy
CRYSTALS	ABSENT		/HPF	Absent	Microscopy
AMORPHOUS URATES	+		/HPF	-	Microscopy
MUCUS THREADS	+		/HPF	-	Microscopy
OVA	ABSENT		/HPF	Absent	Microscopy and Micrometry

Comments : Please correlate clinically.

Interpretation Notes :

Instrumentation used for Chemistry test: Siemens Clinitek Advantus.

Sample Type : **URINE**

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist



MUBASHER ZAHOOR
Laboratory Technologist

This is an electronically authenticated report

Page 2 of 4

Printed on: 08/11/2023 13:41

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.



Laboratory Investigation Report



BML299443

Name : Ms. ANJALI
DOB : 09/07/1991
Age / Gender : 32 Y / Female
Referred by : DR ENOMEN
Centre : Peshawar Medical Center LLC

Ref No. : 41379
Sample No. : 2311303271
Collected : 06/11/2023 19:00
Registered : 07/11/2023 16:51
Reported : 07/11/2023 18:59

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	11.9	L	g/dL	12 - 15.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	4.5		10 ⁶ /μL	3.9 - 5	Electrical Impedance
HEMATOCRIT	34.9	L	%	35 - 45	Calculation
MCV	76.9	L	fL	82 - 98	Calculation
MCH	26.3	L	pg	27 - 32	Calculation
MCHC	34.2		g/dL	32 - 37	Calculation
RDW	14.2		%	11.9 - 15.5	Calculation
RDW-SD	38.5		fL		Calculation
MPV	9		fL	7.6 - 10.8	Calculation
PLATELET COUNT	256		10 ³ /μL	150 - 450	Electrical Impedance
PCT	0.2		%	0.01 - 9.99	Calculation
PDW	16.2		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC) [^]	0.2		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT [^]	0.02		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC) [^]	0.2		%		Flow Cytometry
ABSOLUTE EGC [^]	0		10 ³ /uL		Calculation
WBC COUNT	9.9		10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	50		%	40 - 75	Flow Cytometry
LYMPHOCYTES	41		%	30 - 60	Flow Cytometry
EOSINOPHILS	2		%	0 - 6	Flow Cytometry
MONOCYTES	6		%	1 - 6	Flow Cytometry
BASOPHILS	1		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	4.9		10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	3.9		10 ³ /uL	1.2 - 6.6	Calculation
ABSOLUTE MONOCYTE COUNT	0.6		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.2		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0		10 ³ /uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 3 of 4




MIDHUN MANIKANDAN GEETHA
Laboratory Technologist

Printed on: 08/11/2023 13:41

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Laboratory Investigation Report

BML299443

Name	: Ms. ANJALI	Ref No.	: 41379
DOB	: 09/07/1991	Sample No.	: 2311303271
Age / Gender	: 32 Y / Female	Collected	: 06/11/2023 19:00
Referred by	: DR ENOMEN	Registered	: 07/11/2023 16:51
Centre	: Peshawar Medical Center LLC	Reported	: 07/11/2023 18:59

HEMATOLOGY


Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------

COMPLETE BLOOD COUNT (CBC)

Interpretation Notes : Please note update on CBC report format and changes in reference ranges.

Sample Type : EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 4 of 4



MIDHUN MANIKANDAN GEETHA
Laboratory Technologist

Printed on: 08/11/2023 13:41

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

