

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : MISHAL MAJEED PARACHA AMEER

HAMZA

DOB/Gender : 01-08-1994 (29 Yrs 3 Month 6 Days/Female)

: 22233110133

Request Date : 07-11-2023 13:54:34

Insurance : No

Lab No.

File. No. : AAL02-357252

: Dr. Sajid Sanaullah Khan Referral Doctor Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
**Prolactin	13.90	ng/mL	Non Pregnant: 4.79-23.3 Pregnant: 95-473	ECLIA

Conversion Formula: (Concentration in ng/mL) x (21.2) =mIU/L. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. > 5 mg/day) until at least 8 hours following the last biotin administration. Please note Reference Range Reviewed w.ef 1/10/23 Sample Type: Serum

---- End Of Report ----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 07-11-2023 12:00:00 Received On: 07-11-2023 13:55:00 Authenticated On: 08-11-2023 14:50:50

Released On: 08-11-2023 14:52:05

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822