

LABORATORY REPORT

Name	: ELEANOR DAVID	File. No.	: AAL02-357687
DOB/Gender	: 06-11-1976 (47 Yrs 3 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233130083	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 09-11-2023 12:54	Clinic File No	: 28773
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.22	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	13.3	g/dl	12.0 - 15.0	Photometry-SLS
HCT	39.0	%	36.0 - 46.0	Hydrodynamic focusing
MCV	92.4	fl	83.0 - 101.0	Calculation
MCH	31.5	pg	27-32	Calculation
MCHC	34.1	g/dL	31.5 - 34.5	Calculation
Platelet Count	287	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	8.91	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	60.8	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	31.0	%	20.0 - 40.0	Flow Cytometry
Monocytes	6.3	%	2-10	Flow Cytometry
Eosinophils	1.3	%	1 - 6	Flow Cytometry
Basophils	0.6	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	5.42	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.76	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.56	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.12	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.05	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-11-2023 11:00:00
Authenticated On : 09-11-2023 16:02:13
Printed On : 09-11-2023 16:22:05

Received On : 09-11-2023 12:55:00
Released On : 09-11-2023 16:05:35



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: ELEANOR DAVID	File. No.	: AAL02-357687
DOB/Gender	: 06-11-1976 (47 Yrs 3 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233130083	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 09-11-2023 12:54	Clinic File No	: 28773
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
<u>ERYTHROCYTE SEDIMENTATION RATE (ESR)</u>				
ESR (whole blood)	17^H	mmhr	up to 15	Modified Westergren

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-11-2023 11:00:00
Authenticated On : 09-11-2023 16:02:13
Printed On : 09-11-2023 16:22:05

Received On : 09-11-2023 12:55:00
Released On : 09-11-2023 16:05:35

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: ELEANOR DAVID	File. No.	: AAL02-357687
DOB/Gender	: 06-11-1976 (47 Yrs 3 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233130083	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 09-11-2023 12:54	Clinic File No	: 28773
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	0.67	mg/L	< 5.0	Immunoturbidimetric

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-11-2023 11:00:00
Authenticated On : 09-11-2023 16:02:13
Printed On : 09-11-2023 16:22:05

Received On : 09-11-2023 12:55:00
Released On : 09-11-2023 16:05:35

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822