



Laboratory Investigation Report

Name Mr. PASINDU LAKSHAN BANDARA RANMINIPURA DEWAGE

DOB 16/01/2001 22 Y / Male Age / Gender

Serum

Sample Type :

Referred by Dr. Enomen Goodluck Ekata Peshawar Medical Center LLC Centre

Ref No. 40659

Sample No. 2311305820

Collected 11/11/2023 12:00 Registered 11/11/2023 18:11

Reported 11/11/2023 19:50

BIOCHEMISTRY

Test Result Flag Unit **Reference Range** Methodology **C-REACTIVE PROTEIN (CRP)** 3.7 mg/L < 5.0 Immunoturbidimetry

Please note change in

reference range.

End of Report



Dr. Adley Mark Fernandes M.D (Pathology) **Pathologist**

Dr. Vyoma V Shah M.D (Pathology) **Clinical Pathologist** This is an electronically authenticated report

Page 1 of 3

SAGAR MURUKESAN PILLAI MOLY

Laboratory Technologist Printed on: 11/11/2023 21:22

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





Laboratory Investigation Report

HEMATOLOGY

Name : Mr. PASINDU LAKSHAN BANDARA RANMINIPURA DEWAGE

DOB : 16/01/2001 Age / Gender : 22 Y / Male

Referred by : Dr. Enomen Goodluck Ekata
Centre : Peshawar Medical Center LLC

BML301945

Ref No. : 40659 **Sample No.** : 2311305820

Collected : 11/11/2023 12:00 **Registered** : 11/11/2023 18:11

Reported : 11/11/2023 19:28

HEMATOLOGY					
Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	15.1		g/dL	13.5 - 17.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	5.3		10^6/μL	4.3 - 5.7	Electrical Impedance
HEMATOCRIT	44.9		%	38 - 50	Calculation
MCV	84.8		fL	82 - 98	Calculation
мсн	28.6		pg	27 - 32	Calculation
мснс	33.8		g/dL	32 - 37	Calculation
RDW	13.1		%	11.8 - 15.6	Calculation
RDW-SD	39.4		fL		Calculation
MPV	9.1		fL	7.6 - 10.8	Calculation
PLATELET COUNT	204		10^3/μL	150 - 450	Electrical Impedance
РСТ	0.2		%	0.01 - 9.99	Calculation
PDW	17.1		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC)^	0.3		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT^	0.02		10^3/uL		Calculation
EARLY GRANULOCYTE COUNT (EGC)^	0.8		%		Flow Cytometry
ABSOLUTE EGC^	0.1		10^3/uL		Calculation
WBC COUNT	6.5		10^3/μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	48		%	40 - 75	Flow Cytometry
LYMPHOCYTES	39		%	20 - 45	Flow Cytometry
EOSINOPHILS	6		%	0 - 6	Flow Cytometry
MONOCYTES	6		%	1 - 6	Flow Cytometry
BASOPHILS	1		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	3.1		10^3/uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	2		10^3/uL	0.8 - 4.95	Calculation
ABSOLUTE MONOCYTE COUNT	0.6		10^3/uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.5		10^3/uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0		10^3/uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report

Page 2 of 3

MIDHUN MANIKANDAN GEETHA

Laboratory Technologist
Printed on: 11/11/2023 21:22

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





40659

Laboratory Investigation Report

Name Mr. PASINDU LAKSHAN BANDARA RANMINIPURA DEWAGE

DOB 16/01/2001 22 Y / Male Age / Gender

Referred by Dr. Enomen Goodluck Ekata Peshawar Medical Center LLC Centre

Sample No. 2311305820

Ref No.

Collected 11/11/2023 12:00 Registered 11/11/2023 18:11 Reported 11/11/2023 19:28

HEMATOLOGY

Test Result Flag Unit **Reference Range** Methodology

COMPLETE BLOOD COUNT (CBC)

Interpretation Notes: Please note update on CBC report format and changes in reference ranges.

Sample Type: EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes M.D (Pathology) **Pathologist**

M.D (Pathology) **Clinical Pathologist** This is an electronically authenticated report

Dr. Vyoma V Shah

Page 3 of 3

MIDHUN MANIKANDAN GEETHA

Laboratory Technologist Printed on: 11/11/2023 21:22

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com