

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

: IBRAHIM AHMED MOHAMED ALI ELSHAMY Name

DOB/Gender : 17-04-1971 (52 Yrs 7 Month 3 Days/Male)

Lab No. : 22233240150

Request Date : 20-11-2023 14:47

: NAS ADMINISTRATION SERVICES LTD Insurance

File. No. : AAL02-357757

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 34389

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Glucose - Fasting	103.19 ^H	mg/dL	70 - 100	Hexokinase/G-6-

According to American Diabetes Association 2010, fasting plasma glucose (FPG) levels of (100-125 mg/dl) are in the increased risk category for diabetes.

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Fluoride Plasma

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 20-11-2023 11:00:00 Authenticated On: 20-11-2023 16:15:56

Printed On: 21-11-2023 00:31:54

Received On: 20-11-2023 14:47:00 Released On: 20-11-2023 16:31:16 Reprinted On: 21-11-2023 08:44:39

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822



Page 1 of 1