

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما المام Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : CHARLOTTE PHUNJAM

DOB/Gender : 04-01-1994 (29 Yrs 10 Month 20

Days/Female)

Lab No. : **22233280346**

Request Date : 24-11-2023 21:49:26

Insurance : **NEXTCARE**

File. No. : **AAL02-360885**

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 41573

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
ANA - Screen (serum)	0.2	Index	Negative: <0.8 Doubtfull: 0.8 - 1.2 Positive: > 1.2	ELISA

ANA test screens antibodies against:

Sm (Smith antigen), U1 sn RNP, snRNP/Sm, SS-A, SS-B, ScI-70, CenpB and Jo-1

ANA: Upto 15% of completely healthy people have a positive ANA test. Thus a positive test does not automatically translate into a diagnosis of lupus or any autoimmune antibody or connective tissue disease. Older age, Viral infection as well as certain medication can play a role in positive ANA reading (American college Rheumatology). Trace borderline reactions are to be confirmed by a repeat test after two to four weeks & to be interpreted in the light of clinical & medication history

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 H/L Collected On : 24-11-2023 19:00:00 Received On : 25-11-2023 08:45:00 Authenticated On : 25-11-2023 15:04:55 Released On : 25-11-2023 15:50:52

Pings

Padmapriya Kumareshan Sr. Technician

DHA/LS2992011/243822

