

## Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا ١٥١٨٩ Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : PRIYANKA CHAMALIE IHALA GEDARA

DOB/Gender : 20-11-1979 (44 Yrs 17 Days/Female)

Lab No. : **22233410335** 

Request Date : 07-12-2023 21:31

Insurance : No

File. No. : AAL02-357261

Referral Doctor : **Dr. Enomen Goodluck Ekata** 

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 38982

## IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
**HIV I & II Abs + p24 Ag	0.20	Cutoff Index (COI)	Non Reactive: <1.0 Reactive: >=1.0	ECLIA
**HIV Interpretation	Non-Reactive		Non-Reactive	

Kindly note above test is just a screening test.

Note: Patients at a very early stage of infection may still be non-reactive for HIV Abs or detect p24 antigen. If HIV is suspected, a control sample is recommended in 4-6 weeks.

Samples should not be taken from patients receiving therapy with high biotin doses (i.e. > 5 mg/day) until at least 8 hours following the last biotin administration.

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui**Laboratory Director

Laboratory Director DHA/LS/248469

H/L Collected On: 07-12-2023 18:00:00 Authenticated On: 07-12-2023 23:07:19

Printed On: 07-12-2023 23:20:38

Received On: 07-12-2023 21:32:00 Released On: 07-12-2023 23:14:32

Reprinted On: 08-12-2023 08:20:05

Sim-

**Esmeralda Obenita** 

Lab Incharge

DHA/LS/2992011/ 241430