

LABORATORY REPORT

Name	: ADEL SAYED RAMADAN SAYED	File. No.	: AAL02-364523
DOB/Gender	: 26-02-1974 (49 Yrs 9 Month 18 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233480304	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 14-12-2023 19:52:32	Clinic File No	: 35050
Insurance	: NATIONAL GENERAL INSURANCE (HEALTHNET)		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Creatinine (serum)	0.80	mg/dL	0.6 - 1.3	Alkaline Picrate

Kindly note that the reference range is effective from 17-01-2023.

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 13-12-2023 12:00:00 Received On : 14-12-2023 19:53:00
Authenticated On : 14-12-2023 22:41:16 Released On : 14-12-2023 22:49:44



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: ADEL SAYED RAMADAN SAYED	File. No.	: AAL02-364523
DOB/Gender	: 26-02-1974 (49 Yrs 9 Month 18 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233480304	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 14-12-2023 19:52:32	Clinic File No	: 35050
Insurance	: NATIONAL GENERAL INSURANCE (HEALTHNET)		

LIPID PROFILE I CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
**Cholesterol	270.00^H	mg/dL	Desirable: < 200 Borderline: 200 - 239 High: >or =240	Enzymatic-Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
**Triglycerides	116.00	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
**HDL Cholesterol	38.10^L	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
**LDL Cholesterol	209.00^H	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160-189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
**VLDL	22.90	mg/dL	5.0 - 30.0	Calculation
**Cholesterol / HDL	7.09^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 13-12-2023 12:00:00 Received On : 14-12-2023 19:53:00
Authenticated On : 14-12-2023 22:41:16 Released On : 14-12-2023 22:49:44



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430