

LABORATORY REPORT

Name	: KRISTINA CHIBIEVA	File. No.	: AAL02-365588
DOB/Gender	: 11-08-1993 (30 Yrs 4 Month 7 Days/Female)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22233520097	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 18-12-2023 12:42:12	Clinic File No	: 40165
Insurance	: NEXTCARE		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.25	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	12.9	g/dl	12.0 - 15.0	Photometry-SLS
HCT	37.7	%	36.0 - 46.0	Hydrodynamic focusing (HF)
MCV	88.7	fl	83.0 - 101.0	Calculation
MCH	30.4	pg	27-32	Calculation
MCHC	34.2	g/dL	31.5 - 34.5	Calculation
Platelet Count	172	10 ³ /uL	150-400	HF (DCD)
WBC	7.16	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	80.8 ^H	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	9.9 ^L	%	20.0 - 40.0	Flow Cytometry
Monocytes	7.4	%	2-10	Flow Cytometry
Eosinophils	1.1	%	1 - 6	Flow Cytometry
Basophils	0.8	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	5.78	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	0.71 ^L	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.53	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.08	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.06	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

ERYTHROCYTE SEDIMENTATION RATE (ESR) AUTOMATED

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 18-12-2023 11:00:00
Authenticated On : 18-12-2023 14:31:22
Received On : 18-12-2023 12:55:00
Released On : 18-12-2023 15:10:21

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: KRISTINA CHIBIEVA	File. No.	: AAL02-365588
DOB/Gender	: 11-08-1993 (30 Yrs 4 Month 7 Days/Female)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22233520097	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 18-12-2023 12:42:12	Clinic File No	: 40165
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
ESR (whole blood)	11	mmhr	up to 15	Modified Westergren

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 18-12-2023 11:00:00 Received On : 18-12-2023 12:55:00
Authenticated On : 18-12-2023 14:31:22 Released On : 18-12-2023 15:10:21

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: KRISTINA CHIBIEVA	File. No.	: AAL02-365588
DOB/Gender	: 11-08-1993 (30 Yrs 4 Month 7 Days/Female)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22233520097	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 18-12-2023 12:42:12	Clinic File No	: 40165
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	2.11	mg/L	Negative < or = to 5.0	Immunoturbidimetric Assay

CRP is an acute phase protein whose concentration rises non-specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 18-12-2023 11:00:00 Received On : 18-12-2023 12:55:00
Authenticated On : 18-12-2023 14:31:22 Released On : 18-12-2023 15:10:21

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673