

LABORATORY REPORT

Name	: JOHN VIANNIE KAJJOBA	File. No.	: AAL02-317351
DOB/Gender	: 30-07-1980 (43 Yrs 5 Month 8 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233560084	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 22-12-2023 12:57:49	Clinic File No	: 26065
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.10	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	13.8	g/dl	13.0 - 17.0	Photometry-SLS
HCT	43.1	%	40.0 - 50.0	Hydrodynamic focusing (HF)
MCV	84.5	fl	83.0 - 101.0	Calculation
MCH	27.1	pg	27-32	Calculation
MCHC	32.0	g/dL	31.5 - 34.5	Calculation
Platelet Count	252	10 ³ /uL	150 - 400	HF (DCD)
WBC	6.03	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	36.3 ^L	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	40.8 ^H	%	20.0 - 40.0	Flow Cytometry
Monocytes	14.9 ^H	%	2.0-10.0	Flow Cytometry
Eosinophils	6.5 ^H	%	1 - 6	Flow Cytometry
Basophils	1.5	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	2.19	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.46	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.90	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.39	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.09	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

ERYTHROCYTE SEDIMENTATION RATE (ESR)

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 22-12-2023 10:00:00
Authenticated On : 22-12-2023 14:33:21

Received On : 22-12-2023 12:59:00
Released On : 22-12-2023 15:13:22

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: JOHN VIANNIE KAJJOBA	File. No.	: AAL02-317351
DOB/Gender	: 30-07-1980 (43 Yrs 5 Month 8 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233560084	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 22-12-2023 12:57:49	Clinic File No	: 26065
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
ESR (whole blood)	7	mmhr	up to 10	Modified Westergren

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 22-12-2023 10:00:00 Received On : 22-12-2023 12:59:00
Authenticated On : 22-12-2023 14:33:21 Released On : 22-12-2023 15:13:22

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: JOHN VIANNIE KAJJOBA	File. No.	: AAL02-317351
DOB/Gender	: 30-07-1980 (43 Yrs 5 Month 8 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233560084	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 22-12-2023 12:57:49	Clinic File No	: 26065
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
**Amylase - Total	172.00^H	U/L	28-100	Enzymatic-IFCC

Please note Reference Range Reviewed w.ef 15/10/23

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

C-Reactive Protein (CRP)	3.56	mg/L	Negative < or = to 5.0	Immunoturbidimetric Assay
---------------------------------	------	------	------------------------	---------------------------

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

**Lipase	33.20	U/L	13.00-60.00	Enzymatic DRG-3GAE Substrate
-----------------	-------	-----	-------------	------------------------------

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 22-12-2023 10:00:00	Received On : 22-12-2023 12:59:00
Authenticated On : 22-12-2023 14:33:21	Released On : 22-12-2023 15:13:22



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822