

LABORATORY REPORT

Name	: TATIANA FOUAD CORBAN EP SAID SAMAHA	File. No.	: AAL02-300106
DOB/Gender	: 02-01-1962 (62 Yrs 14 Days/Female)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22233590001	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 25-12-2023 09:45:03	Clinic File No	: 39902
Insurance	: NEXTCARE		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	6.46 ^H	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.1	g/dl	12.0 - 15.0	Photometry-SLS
HCT	45.7	%	36.0 - 46.0	Hydrodynamic focusing (HF)
MCV	70.7 ^L	fl	83.0 - 101.0	Calculation
MCH	21.8 ^L	pg	27-32	Calculation
MCHC	30.9 ^L	g/dL	31.5 - 34.5	Calculation
Platelet Count	261	10 ³ /uL	150-400	HF (DCD)
WBC	7.56	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	58.5	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	30.2	%	20.0 - 40.0	Flow Cytometry
Monocytes	6.9	%	2-10	Flow Cytometry
Eosinophils	3.7	%	1 - 6	Flow Cytometry
Basophils	0.7	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	4.43	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.28	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.52	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.28	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.05	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Recommended to do peripheral smear, iron studies and thalassemia screening. Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 22-12-2023 16:00:00 Received On : 25-12-2023 09:53:00
Authenticated On : 25-12-2023 11:25:30 Released On : 25-12-2023 11:58:54

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: TATIANA FOUAD CORBAN EP SAID SAMAHA	File. No.	: AAL02-300106
DOB/Gender	: 02-01-1962 (62 Yrs 14 Days/Female)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22233590001	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 25-12-2023 09:45:03	Clinic File No	: 39902
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
<u>ERYTHROCYTE SEDIMENTATION RATE (ESR) AUTOMATED</u>				
ESR (whole blood)	5	mmhr	up to 15	Modified Westergren

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 22-12-2023 16:00:00 Received On : 25-12-2023 09:53:00
Authenticated On : 25-12-2023 11:25:30 Released On : 25-12-2023 11:58:54

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: TATIANA FOUAD CORBAN EP SAID SAMAHA	File. No.	: AAL02-300106
DOB/Gender	: 02-01-1962 (62 Yrs 14 Days/Female)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22233590001	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 25-12-2023 09:45:03	Clinic File No	: 39902
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	2.55	mg/L	Negative < or = to 5.0	Immunoturbidimetric Assay

CRP is an acute phase protein whose concentration rises non-specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

***Creatinine (serum)	0.57	mg/dL	0.50-0.90	Jaffe-Alkaline Picrate
------------------------------	------	-------	-----------	------------------------

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 22-12-2023 16:00:00 Received On : 25-12-2023 09:53:00
Authenticated On : 25-12-2023 11:25:30 Released On : 25-12-2023 11:58:54

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673