

LABORATORY REPORT

Name : **DANANJANA RANDEEP NAWARATHNA HERATH MUDIYANSELAGE** File. No. : **AAL02-343972**
DOB/Gender : **25-10-2000 (23 Yrs 2 Month 29 Days/Male)** Referral Doctor : **Dr. Enomen Goodluck Ekata**
Lab No. : **22233570128** Referral Clinic : **Peshawar(Irham Medical Center)**
Request Date : **23-12-2023 14:12:06** Clinic File No : **40533**
Insurance : **NATIONAL GENERAL INSURANCE (HEALTHNET)**

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.21	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	15.6	g/dl	13.0 - 17.0	Photometry-SLS
HCT	46.2	%	40.0 - 50.0	Hydrodynamic focusing (HF)
MCV	88.7	fl	83.0 - 101.0	Calculation
MCH	29.9	pg	27-32	Calculation
MCHC	33.8	g/dL	31.5 - 34.5	Calculation
Platelet Count	232	10 ³ /uL	150 - 400	HF (DCD)
WBC	8.52	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	50.1	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	38.0	%	20.0 - 40.0	Flow Cytometry
Monocytes	7.6	%	2.0-10.0	Flow Cytometry
Eosinophils	3.1	%	1 - 6	Flow Cytometry
Basophils	1.2	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	4.27	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	3.24 ^H	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.65	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.26	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.10	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 23-12-2023 11:00:00 Received On : 23-12-2023 14:12:00
Authenticated On : 23-12-2023 15:50:48 Released On : 23-12-2023 16:35:30

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: DANANJANA RANDEEP NAWARATHNA HERATH MUDIYANSELAGE	File. No.	: AAL02-343972
DOB/Gender	: 25-10-2000 (23 Yrs 2 Month 29 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233570128	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 23-12-2023 14:12:06	Clinic File No	: 40533
Insurance	: NATIONAL GENERAL INSURANCE (HEALTHNET)		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 23-12-2023 11:00:00 Received On : 23-12-2023 14:12:00
Authenticated On : 23-12-2023 15:50:48 Released On : 23-12-2023 16:35:30

Pring

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name : **DANANJANA RANDEEP NAWARATHNA HERATH MUDIYANSELAGE** File. No. : **AAL02-343972**
DOB/Gender : **25-10-2000 (23 Yrs 2 Month 29 Days/Male)** Referral Doctor : **Dr. Enomen Goodluck Ekata**
Lab No. : **22233570128** Referral Clinic : **Peshawar(Irham Medical Center)**
Request Date : **23-12-2023 14:12:06** Clinic File No : **40533**
Insurance : **NATIONAL GENERAL INSURANCE (HEALTHNET)**

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Straw		Yellow	Light Scatter
Appearance	Clear		Clear	Light Scatter
Specific Gravity	1.008		1.005 - 1.030	Refractrometry
PH	6.50		4.6 - 8.0	Litmus reaction
Glucose	Negative		Negative	Enz.Rn/Reflect
Ketone	Negative		Negative	Legal's method
Protein	Negative		Negative	Dye Binding
Blood	Negative		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	Normal	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	Negative		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	1 - 2	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	0 - 1	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	Absent	/HPF	Absent	F.D.I/Microscopy
Crystals	Absent	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine

Bilirubin and Urobilinogen if clinically indicated.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 23-12-2023 11:00:00 Received On : 23-12-2023 14:12:00
Authenticated On : 23-12-2023 16:17:47 Released On : 23-12-2023 16:35:30

Prings

Padmapriya Kumareshan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: DANANJANA RANDEEP NAWARATHNA HERATH MUDIYANSELAGE	File. No.	: AAL02-343972
DOB/Gender	: 25-10-2000 (23 Yrs 2 Month 29 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233570128	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 23-12-2023 14:12:06	Clinic File No	: 40533
Insurance	: NATIONAL GENERAL INSURANCE (HEALTHNET)		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Kindly note the new methodology is effective from 31-10-2022.

Sample Type : Urine

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 23-12-2023 11:00:00 Received On : 23-12-2023 14:12:00
Authenticated On : 23-12-2023 16:17:47 Released On : 23-12-2023 16:35:30



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822