

Lab No.

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

File. No.

Referral Doctor

: AAL02-309731

: Dr. Sajid Sanaullah Khan

Name : LIAQAT ALI KHAN MOMIN KHAN

DOB/Gender : 01-01-1992 (32 Yrs 20 Days/Male)

: 22233640023 Referral Clinic : Peshawar(Irham Medical Center)

Request Date : 30-12-2023 10:21 Clinic File No 39961

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	<0.60	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 27-12-2023 20:00:00 Authenticated On: 30-12-2023 12:39:52

Received On: 30-12-2023 10:25:00 Released On: 30-12-2023 12:43:14

Printed On: 30-12-2023 16:50:50

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822



