

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : EDRINE MIRO File. No. : AAL02-368375

DOB/Gender

: 07-10-2000 (23 Yrs /Male)

Referral Doctor : Dr. Sajid Sanaullah Khan

Lab No.

: 22240020173

Referral Clinic

: Peshawar(Irham Medical Center)

Request Date : 02-01-2024 14:20:45

Clinic File No : 42105

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	0.91	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

----- End Of Report ------

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

H/L Collected On: 02-01-2024 11:00:00 Received On: 02-01-2024 14:58:00 Authenticated On: 02-01-2024 15:39:40 Released On: 02-01-2024 16:07:52

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822

