

DOB/Gender

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : MUHAMMED WASEEM

: 11-12-1989 (34 Yrs 1 Month 15 Days/Male)

Lab No. : 22240260133

Request Date : 26-01-2024 13:07:59

Insurance : NEXTCARE File. No. : AAL02-373079

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 42320

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	<0.60	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

----- End Of Report ------

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 26-01-2024 10:00:00 Received On: 26-01-2024 14:33:00 Authenticated On: 26-01-2024 15:11:23

Released On: 26-01-2024 15:29:26

Sr. Technician DHA/LS2992011/243822

Padmapriya Kumareshan

