

LABORATORY REPORT

Name	: RAM BAHADUR PARIYAR	File. No.	: AAL02-374395
DOB/Gender	: 03-05-1982 (41 Yrs 8 Month 29 Days/Male)	Referral Doctor	: Self
Lab No.	: 22240320372	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 01-02-2024 21:35	Clinic File No	: 39768
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.11	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.1	g/dl	13.0 - 17.0	Photometry-SLS
HCT	40.6	%	40.0 - 50.0	Hydrodynamic focusing (HF)
MCV	79.5 ^L	fl	83.0 - 101.0	Calculation
MCH	27.6	pg	27-32	Calculation
MCHC	34.7 ^H	g/dL	31.5 - 34.5	Calculation
Platelet Count	240	10 ³ /uL	150 - 400	HF (DCD)
WBC	6.80	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	63.0	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	23.7	%	20.0 - 40.0	Flow Cytometry
Monocytes	10.0	%	2.0-10.0	Flow Cytometry
Eosinophils	2.4	%	1 - 6	Flow Cytometry
Basophils	0.9	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	4.29	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.61	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.68	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.16	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.06	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Recommended to do peripheral smear, iron studies and thalassemia screening.
Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 01-02-2024 18:00:00
Authenticated On : 01-02-2024 23:55:00
Printed On : 02-02-2024 00:59:54

Received On : 01-02-2024 21:37:00
Released On : 01-02-2024 23:57:46
Reprinted On : 02-02-2024 19:40:28



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: RAM BAHADUR PARIYAR	File. No.	: AAL02-374395
DOB/Gender	: 03-05-1982 (41 Yrs 8 Month 29 Days/Male)	Referral Doctor	: Self
Lab No.	: 22240320372	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 01-02-2024 21:35	Clinic File No	: 39768
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 01-02-2024 18:00:00
Authenticated On : 01-02-2024 23:55:00
Printed On : 02-02-2024 00:59:54

Received On : 01-02-2024 21:37:00
Released On : 01-02-2024 23:57:46
Reprinted On : 02-02-2024 19:40:28



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: RAM BAHADUR PARIYAR	File. No.	: AAL02-374395
DOB/Gender	: 03-05-1982 (41 Yrs 8 Month 29 Days/Male)	Referral Doctor	: Self
Lab No.	: 22240320372	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 01-02-2024 21:35	Clinic File No	: 39768
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	2.36	mg/L	Negative < or = to 5.0	Immunoturbidimetric Assay

CRP is an acute phase protein whose concentration rises non-specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.e.f 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 01-02-2024 18:00:00
Authenticated On : 01-02-2024 23:55:00
Printed On : 02-02-2024 00:59:54

Received On : 01-02-2024 21:37:00
Released On : 01-02-2024 23:57:46
Reprinted On : 02-02-2024 19:40:28



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430