



BML304350

Laboratory Investigation Report


Name	: Miss. AINURA SULTANALIEVA	Ref No.	:
DOB	: 17/06/1988	Sample No.	: 2403374107
Age / Gender	: 35 Y / Female	Collected	: 08/03/2024 18:00
Referred by	: MAIMONA	Registered	: 08/03/2024 22:50
Centre	: Peshawar Medical Center LLC	Reported	: 09/03/2024 10:28

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
C-REACTIVE PROTEIN (CRP)	0.4		mg/L	< 5.0	Immunoturbidimetry

Sample Type : Serum

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 1 of 3



MURSHIDHA MURINGAKODAN
Laboratory Technologist

Printed on: 09/03/2024 10:30

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML304350

Laboratory Investigation Report

Name : Miss. AINURA SULTANALIEVA
DOB : 17/06/1988
Age / Gender : 35 Y / Female
Referred by : MAIMONA
Centre : Peshawar Medical Center LLC

Ref No. :
Sample No. : 2403374107
Collected : 08/03/2024 18:00
Registered : 08/03/2024 22:50
Reported : 09/03/2024 00:00

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	12.8		g/dL	12 - 15.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	4.9		10 ⁶ /μL	3.9 - 5	Electrical Impedance
HEMATOCRIT	39.4		%	35 - 45	Calculation
MCV	80.4	L	fL	82 - 98	Calculation
MCH	26.1	L	pg	27 - 32	Calculation
MCHC	32.5		g/dL	32 - 37	Calculation
RDW	15.1		%	11.9 - 15.5	Calculation
RDW-SD	42.4		fL		Calculation
MPV	8.9		fL	7.6 - 10.8	Calculation
PLATELET COUNT	285		10 ³ /μL	150 - 450	Electrical Impedance
PCT	0.3		%	0.01 - 9.99	Calculation
PDW	16.2		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC) [^]	0.1		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT [^]	0.01		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC) [^]	0.3		%		Flow Cytometry
ABSOLUTE EGC [^]	0		10 ³ /uL		Calculation
WBC COUNT	7.3		10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	55		%	40 - 75	Flow Cytometry
LYMPHOCYTES	35		%	30 - 60	Flow Cytometry
EOSINOPHILS	5		%	0 - 6	Flow Cytometry
MONOCYTES	5		%	1 - 6	Flow Cytometry
BASOPHILS	0		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	3.6		10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	2.5		10 ³ /uL	1.2 - 6.6	Calculation
ABSOLUTE MONOCYTE COUNT	0.6		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.4		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.1		10 ³ /uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist


SAGAR MURUKESAN PILLAI MOLY
Laboratory Technologist

This is an electronically authenticated report

Page 2 of 3

Printed on: 09/03/2024 10:30

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML304350

Laboratory Investigation Report

Name	: Miss. AINURA SULTANALIEVA	Ref No.	:
DOB	: 17/06/1988	Sample No.	: 2403374107
Age / Gender	: 35 Y / Female	Collected	: 08/03/2024 18:00
Referred by	: MAIMONA	Registered	: 08/03/2024 22:50
Centre	: Peshawar Medical Center LLC	Reported	: 09/03/2024 00:00

HEMATOLOGY


Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------

COMPLETE BLOOD COUNT (CBC)

Interpretation Notes : Please note update on CBC report format and changes in reference ranges.

Sample Type : EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 3 of 3


SAGAR MURUKESAN PILLAI MOLY
Laboratory Technologist
Printed on: 09/03/2024 10:30

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

