

BML376791

Laboratory Investigation Report

Name : MUHAMMAD SHAHZAIB USMAN MUHAMMAD USMAN SHAFIQUE
DOB : 28/08/2015
Age / Gender : 8 Y / Male
Referred by : Dr. Enomen Goodluck Ekata
Centre : Peshawar Medical Center LLC

Ref No. : 38352
Sample No. : 2403384081
Collected : 27/03/2024 20:00:00
Registered : 28/03/2024 14:04:11
Reported : 30/03/2024 15:31:15

MICROBIOLOGY

Test : CULTURE AND SENSITIVITY (THROAT SWAB)
Specimen : Throat Swab

ResultType : No Bacterial Pathogen Detected after 48 Hours of Aerobic Incubation.

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report
Final Report



FATHIMA MUHAMMED SAFIR

Microbiology Technologist
Printed on: 30/03/2024 15:33

Page 1 of 1

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Laboratory Investigation Report

BML376791

Name : Mr. MUHAMMAD SHAHZAIB USMAN MUHAMMAD USMAN SHAFIQUE
DOB : 28/08/2015
Age / Gender : 8 Y / Male
Referred by : Dr. Enomen Goodluck Ekata
Centre : Peshawar Medical Center LLC

Ref No. : 38352
Sample No. : 2403384081
Collected : 27/03/2024 20:00
Registered : 28/03/2024 14:04
Reported : 28/03/2024 16:22

HEMATOLOGY


Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	13.1		g/dL	11 - 16	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	4.9		10 ⁶ /μL	4.1 - 5.5	Electrical Impedance
HEMATOCRIT	39.2		%	33 - 47	Calculation
MCV	80.5	L	fL	82 - 92	Calculation
MCH	26.9	L	pg	27 - 32	Calculation
MCHC	33.4		g/dL	32 - 37	Calculation
RDW	12.8		%	12 - 14	Calculation
RDW-SD	35.9		fL		Calculation
MPV	8.5		fL	7.6 - 10.8	Calculation
PLATELET COUNT	314		10 ³ /μL	150 - 450	Electrical Impedance
PCT	0.3		%	0.01 - 9.99	Calculation
PDW	17		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC) [^]	0.3		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT [^]	0.03		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC) [^]	0.0		%		Flow Cytometry
ABSOLUTE EGC [^]	0.0		10 ³ /uL		Calculation
WBC COUNT	9.7		10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	51		%	30 - 60	Flow Cytometry
LYMPHOCYTES	32		%	30 - 60	Flow Cytometry
EOSINOPHILS	11	H	%	0 - 6	Flow Cytometry
MONOCYTES	5		%	1 - 6	Flow Cytometry
BASOPHILS	1		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	4.9		10 ³ /uL	1.2 - 6.6	Calculation
ABSOLUTE LYMPHOCYTE COUNT	3.1		10 ³ /uL	1.2 - 6.6	Calculation
ABSOLUTE MONOCYTE COUNT	0.4		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	1.1	H	10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.1		10 ³ /uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 1 of 2




JAYADEV C J
Laboratory Technologist

Printed on: 30/03/2024 15:33

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Laboratory Investigation Report

BML376791

Name : Mr. MUHAMMAD SHAHZAIB USMAN MUHAMMAD USMAN SHAFIQUE
DOB : 28/08/2015
Age / Gender : 8 Y / Male
Referred by : Dr. Enomen Goodluck Ekata
Centre : Peshawar Medical Center LLC

Ref No. : 38352
Sample No. : 2403384081
Collected : 27/03/2024 20:00
Registered : 28/03/2024 14:04
Reported : 28/03/2024 16:22

HEMATOLOGY


Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------

COMPLETE BLOOD COUNT (CBC)

Interpretation Notes : Please note update on CBC report format and changes in reference ranges.

Sample Type : EDTA Whole Blood

End of Report




Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 2 of 2



JAYADEV C J
Laboratory Technologist

Printed on: 30/03/2024 15:33

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

