

LABORATORY REPORT

Name	: KAMAL MIAH	File. No.	: AAL02-386548
DOB/Gender	: 10-12-1991 (32 Yrs 4 Month 14 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22240970248	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 06-04-2024 16:35:59	Clinic File No	: 39233
Insurance	: No		

STD 7 PANEL (REAL TIME PCR) MOLECULAR BIOLOGY/GENETICS

Test Name	Result	Units	Ref. Range	Method
*Mycoplasma Genitalium	Not Detected		Not Detected	RT PCR (NAAT)
*Ureaplasma Urealyticum	Not Detected		Not Detected	RT PCR (NAAT)
*Mycoplasma Hominis	Not Detected		Not Detected	RT PCR (NAAT)
*HSV I	Not Detected		Not Detected	RT PCR (NAAT)
*HSV II	Not Detected		Not Detected	RT PCR (NAAT)
*Treponema Pallidum	Not Detected		Not Detected	RT PCR (NAAT)
*Chlamydia Trachomatis	Detected		Not Detected	RT PCR (NAAT)

Remarks: REAL TIME PCR STIs detects the presence of microorganisms causing sexually transmitted infections in clinical samples (urine & swabs).

Detection is carried out by the specific amplification of each genotype in the sample, originating a variable fragment with limit of detection between 50 to 500 genomic pairs (copies / mL of the sample).

The detection of the product is amplified by REAL TIME PCR platform. Test result obtained through technical collaboration with Medsol group of Laboratories.

Remarks:

Test done in Urine.

Sample Type : Swab / LBC / Urine / Semen

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 05-04-2024 12:00:00
Authenticated On : 07-04-2024 15:10:06

Received On : 06-04-2024 20:58:00
Released On : 07-04-2024 15:10:52



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822