



BML381744

Laboratory Investigation Report

Name	: Mr. CHAN THAR	Ref No.	: 38479
DOB	: 23/11/2002	Sample No.	: 2404389198
Age / Gender	: 21 Y / Male	Collected	: 06/04/2024 17:45
Referred by	: DR ENOMAN	Registered	: 07/04/2024 15:45
Centre	: Peshawar Medical Center LLC	Reported	: 07/04/2024 19:31

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
C-REACTIVE PROTEIN (CRP)	13.2	H	mg/L	< 5.0	Immunoturbidimetry

Sample Type : Serum

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 1 of 3



JAYADEV C J
Laboratory Technologist
Printed on: 07/04/2024 20:46

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML381744

Laboratory Investigation Report

Name : Mr. CHAN THAR
DOB : 23/11/2002
Age / Gender : 21 Y / Male
Referred by : DR ENOMAN
Centre : Peshawar Medical Center LLC

Ref No. : 38479
Sample No. : 2404389198
Collected : 06/04/2024 17:45
Registered : 07/04/2024 15:45
Reported : 07/04/2024 17:36

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	15.3		g/dL	13.5 - 17.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	5.3		10 ⁶ /μL	4.3 - 5.7	Electrical Impedance
HEMATOCRIT	45.6		%	38 - 50	Calculation
MCV	85.5		fL	82 - 98	Calculation
MCH	28.6		pg	27 - 32	Calculation
MCHC	33.5		g/dL	32 - 37	Calculation
RDW	12.9		%	11.8 - 15.6	Calculation
RDW-SD	38.1		fL		Calculation
MPV	9.5		fL	7.6 - 10.8	Calculation
PLATELET COUNT	185		10 ³ /μL	150 - 450	Electrical Impedance
PCT	0.2		%	0.01 - 9.99	Calculation
PDW	17.7		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC) [^]	0.4		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT [^]	0.04		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC) [^]	0.3		%		Flow Cytometry
ABSOLUTE EGC [^]	0.0		10 ³ /uL		Calculation
WBC COUNT	9.7		10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	78	H	%	40 - 75	Flow Cytometry
LYMPHOCYTES	14	L	%	20 - 45	Flow Cytometry
EOSINOPHILS	1		%	0 - 6	Flow Cytometry
MONOCYTES	6		%	1 - 6	Flow Cytometry
BASOPHILS	1		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	7.2		10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	1.4		10 ³ /uL	0.8 - 4.95	Calculation
ABSOLUTE MONOCYTE COUNT	0.4		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.1		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.1		10 ³ /uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist



Reena Babu
Laboratory Technologist

This is an electronically authenticated report

Page 2 of 3

Printed on: 07/04/2024 20:46

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Laboratory Investigation Report

Name	: Mr. CHAN THAR	Ref No.	: 38479
DOB	: 23/11/2002	Sample No.	: 2404389198
Age / Gender	: 21 Y / Male	Collected	: 06/04/2024 17:45
Referred by	: DR ENOMAN	Registered	: 07/04/2024 15:45
Centre	: Peshawar Medical Center LLC	Reported	: 07/04/2024 17:36

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------

COMPLETE BLOOD COUNT (CBC)

Interpretation Notes : Please note update on CBC report format and changes in reference ranges.

Sample Type : EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

Reena Babu

Reena Babu
Laboratory Technologist

This is an electronically authenticated report

Page 3 of 3

Printed on: 07/04/2024 20:46

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

