

Serum

Name

Sample Type:



Laboratory Investigation Report

HASAN MOHD Ref No. 42192

DOB 15/03/2000 Sample No. 2404391637 Age / Gender 24 Y / Male Collected 13/04/2024 14:27

Referred by Dr Sandia Registered 13/04/2024 21:18 13/04/2024 22:31 Centre Peshawar Medical Center LLC Reported

BIOCHEMISTRY

Result Flag Unit **Reference Range** Methodology **Test C-REACTIVE PROTEIN (CRP)** Immunoturbidimetry 12.6 < 5.0 Please note mg/L

change.Source: Roche IFU.

End of Report



Dr. Adley Mark Fernandes M.D (Pathology) **Pathologist**

Dr. Vyoma V Shah M.D (Pathology) **Clinical Pathologist** This is an electronically authenticated report

Page 1 of 1

SAGAR MURUKESAN PILLAI MOLY

Laboratory Technologist Printed on: 13/04/2024 22:33

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com