


Name : Sonia Majeed Abdul Majeed

Lab ID : 1344987

MRN : 755878-0

Sample No : RLC0028581

DOB / Gender : 01-01-1987 / Female

Emirates ID : 784-1987-6215271-2

Client Name : Re Leaf Medical Centre LLC

Reg Date : 24-02-2022 23:10:26

Passport NO :

Collection Date : 24-02-2022 19:45:00

Nationality : Pakistan

Reporting Date : 25-02-2022 02:36:11

Molecular Biology

Test	Result	Reference Range	Methodology
COVID-19 by RT-PCR *	Not Detected (Negative)	Not Detected	Multiplex Real Time PCR
Sample Type: <i>Nasopharyngeal / Oropharyngeal Swab</i>			
Interpretation Notes :			
Result	Interpretation and Recommendations		
Detected	If the result is detected, that means the sample is positive for SARS-CoV-2/Covid-19		
Not Detected	If the result is not detected, that means the sample is negative for SARS-CoV-2/Covid-19.		
Presumptive Positive	Only one of the multiple genes is detected or a low viral load is possible. Request for repeat sample in 72-96 hours.		
The false-negative result with clinical symptoms may be caused by			
. Unsuitable collection, handling, and/or storage of samples.			
. Sample outside of the viremic phase.			
We recommend repeating testing on a fresh sample			
LIMITATION OF THE TEST			
. This assay has been validated for use with an oropharyngeal swab and nasopharyngeal swab samples only.			
. This assay only detects RdRp, N gene, and E gene.			
. This test cannot rule out diseases caused by other pathogens.			
This certificate has been issued electronically by Agiomix FZ-LLC. Any party that relies on the result of this certificate should first check its authenticity by scanning of the above QR code or by calling 800-GENOMICS(43666427). Agiomix is not responsible for any misuse of this certificate or its content			
For questions regarding this report please contact Agiomix Laboratory at		inquiries@agiomix.com	
تم إصدار هذه الشهادة إلكترونياً بواسطة (Agiomix FZ-LLC) يجب على أي طرف يعتمد على نتيجة هذه الشهادة التحقق أولاً من صحتها عن طريق مسح رمز الاستجابة السريعة أعلاه أو عن طريق الاتصال بـ Agiomix (800-GENOMICS(43666427)). ليست مسؤولة عن أي سوء استخدام لهذه الشهادة أو محتواها .			
End of Report			



Dr. Walid Dridi, MD. PhD
 Cellular & Molecular Biology Lab
 director
 97456027-001



Dr. Dipal Bhukhanvala, MSc. PhD
 Molecular Microbiology Associate
 Director, Lab
 00139368-002

