

DOB/Gender

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : RAKESH RENGARAJAN DORAIRAJ

: 02-02-1997 (27 Yrs 2 Month 17 Days/Female) Referral Doctor

Lab No. : 22241100002

Request Date : 19-04-2024 09:04

: NAS ADMINISTRATION SERVICES LTD Insurance

File. No. : AAL02-388333

: Dr. Sandia Bhojwani

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 36918

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	21.10 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 18-04-2024 12:00:00 Authenticated On: 19-04-2024 14:37:21 Printed On: 19-04-2024 23:34:52

Released On: 19-04-2024 14:50:53

Reprinted On: 20-04-2024 12:59:40

Received On: 19-04-2024 09:04:00

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822



MEDSOL-RPT-2.3(1/19)