

DOB/Gender

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : MARIA RHODORA

: 17-01-1978 (46 Yrs 3 Month 8 Days/Female)

Lab No. : 22241190024

Request Date : 28-04-2024 11:32:59

Insurance : NEXTCARE File. No. : AAL02-389491

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 40712

CLINICAL BIOCHEMISTRY

Test Name Result Units Ref. Range Method 13.80 ^H **C-Reactive Protein (CRP)** Negative < or = to 5.0 mg/L Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 23-04-2024 16:00:00 Received On: 28-04-2024 11:34:00

Authenticated On: 28-04-2024 18:16:32

Released On: 28-04-2024 18:31:05

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

