

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

File. No.

Referral Doctor

Referral Clinic

: AAL02-389994

: 42971

: Dr. Humairah Tabassum

: Peshawar(Irham Medical Center)

Name : DILEEP MIGARA WANNIYA BANDARAGE

: 09-12-1997 (26 Yrs 4 Month 19 Days/Male)

DOB/Gender Lab No. : 22241190025

Request Date : 28-04-2024 11:46:07 Clinic File No

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	9.34 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assav

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 26-04-2024 11:00:00 Received On: 28-04-2024 11:47:00 Authenticated On: 28-04-2024 18:51:13

Released On: 28-04-2024 19:08:00

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

