



Laboratory Investigation Report

Name Ms. NAOMI ROCHELLE Ref No. 42972

DOB 02/04/1993 Sample No. 2404397222

Age / Gender 31 Y / Female Collected 25/04/2024 13:45 Referred by DR HUMAIRA Registered 25/04/2024 21:34 Peshawar Medical Center LLC Reported 25/04/2024 22:59 Centre

ENDOCRINOLOGY

Source: Roche IFU.

Flag Unit **Reference Range** Result Methodology Test **BETA HCG BETA HCG** 4897 mIU/mL Refer to Interpretation for **ECLIA** Reference Range:

Interpretation Notes: Non-Pregnant:< or =5.0

Post-Menopausal: < or =7.0

Reference Range According to Weeks of gestation

Gestational Week	Reference Range			
3 weeks	5.8	-	71.2	
4 weeks	9.5	-	750	
5 weeks	217	-	7138	
6 weeks	158	-	31795	
7 weeks	3697	-	163563	
8 weeks	32065	-	149571	
9 weeks	63803	-	151410	
10 weeks	46509	-	186977	
12 weeks	27832	-	210612	
14 weeks	13950	-	62530	
15 weeks	12039	-	70791	
16 - 29 weeks	1400	-	53000	
29 - 41 weeks	940	-	6000	

High levels may be indicative of a number of conflicting situations, including everything from a normal pregnancy to ovarian cancer to choriocarcinoma of the uterus or hydatidiform mole of the uterus. Low levels may be indicative of a dead fetus, incomplete miscarriage, or threatened spontaneous abortion.

Sample Type: Serum

End of Report

Dr. Adley Mark Fernandes Dr. Vyoma V Shah M.D (Pathology) M.D (Pathology) **Pathologist Clinical Pathologist**

This is an electronically authenticated report

MOHAMMED RASHID CHENANGADATH

Laboratory Technologist Printed on: 25/04/2024 23:01

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com

Page 1 of 1