

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : IRENE GRAFIL PEROLINO File. No. : AAL02-390182

DOB/Gender

: 08-02-1976 (48 Yrs 2 Month 19 Days/Female) Referral Doctor

: Dr. Enomen Goodluck Ekata

Lab No.

: 22241180068

Referral Clinic : Peshawar(Irham Medical Center)

Request Date : 27-04-2024 13:50

Clinic File No : 42980

Insurance : NEXTCARE

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	12.70 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

--- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 26-04-2024 20:00:00 Authenticated On: 27-04-2024 21:03:52

Printed On: 28-04-2024 03:17:28

Received On: 27-04-2024 13:50:00 Released On: 27-04-2024 21:04:08

Reprinted On: 28-04-2024 12:18:23

Padmapriya Kumareshan Sr. Technician

DHA/LS2992011/243822



