

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : BABA HILARIDEEM File. No. : AAL02-390270

DOB/Gender

: 21-04-1977 (47 Yrs 6 Days/Male)

Referral Doctor : Dr. Enomen Goodluck Ekata

: 22241180179

Lab No.

Referral Clinic

: Peshawar(Irham Medical Center)

Request Date : 27-04-2024 15:16:07

Clinic File No : 42989

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	6.41 <sup>H</sup>	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 27-04-2024 12:00:00 Received On: 27-04-2024 15:26:00 Authenticated On: 27-04-2024 19:20:01

Released On: 27-04-2024 19:21:44

Sr. Technician

DHA/LS2992011/243822

**Padmapriya** 

Kumareshan



