

DOB/Gender

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما المام Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : NAVEED ABBAS

: 15-06-1982 (41 Yrs 11 Month 22 Days/Male)

Lab No. : **22241210001**

Request Date : 30-04-2024 06:22

Insurance : NEXTCARE

File. No. : **AAL02-390737**

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 42999

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	4.64	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On : 29-04-2024 11:00:00 Authenticated On : 30-04-2024 13:26:48

Printed On: 30-04-2024 13:58:25

Received On: 30-04-2024 06:23:00 Released On: 30-04-2024 13:35:55

:55 Lab Incharge DHA/LS/2992011/

241430



Esmeralda Obenita

