

LABORATORY REPORT

Name	: MYLA GONZALES	File. No.	: AAL02-391247
DOB/Gender	: 28-12-1981 (42 Yrs 4 Month 3 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22241220198	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 01-05-2024 15:35	Clinic File No	: 37988
Insurance	: NATIONAL GENERAL INSURANCE (HEALTHNET)		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Uric Acid	5.33	mg/dL	2.40 - 5.70	Uricase

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 01-05-2024 12:00:00
Authenticated On : 01-05-2024 17:20:29
Printed On : 01-05-2024 22:40:12

Received On : 01-05-2024 15:49:00
Released On : 01-05-2024 17:36:44
Reprinted On : 03-05-2024 10:08:38

Pring

Padmapriya Kumareshan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: MYLA GONZALES	File. No.	: AAL02-391247
DOB/Gender	: 28-12-1981 (42 Yrs 4 Month 3 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22241220198	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 01-05-2024 15:35	Clinic File No	: 37988
Insurance	: NATIONAL GENERAL INSURANCE (HEALTHNET)		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol	190.00	mg/dL	Desirable: < 200 Borderline: 200 - 239 High: ≥ 240	Enzymatic-Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	47.90	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: ≥ 500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	56.10	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	119.00	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160 - 189 Very High: ≥ 190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
*VLDL	14.90	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	3.39	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: ≥ 6	Calculation

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 01-05-2024 12:00:00
Authenticated On : 01-05-2024 17:20:30
Printed On : 01-05-2024 22:40:12

Received On : 01-05-2024 15:49:00
Released On : 01-05-2024 17:36:44
Reprinted On : 03-05-2024 10:08:38

Pring

Padmapriya Kumareshan
Sr. Technician
DHA/LS2992011/243822