

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : MD HAMMED SOHAL ABUL HASAM

DOB/Gender : 05-07-1986 (37 Yrs 9 Month 27 Days/Male)

Lab No. : **22241230003**

Request Date : 02-05-2024 08:59:53

Insurance : NAS ADMINISTRATION SERVICES LTD

File. No. : AAL02-391402

Referral Doctor : Dr. Sandia Bhojwani

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 43029

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	3.76	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On: 01-05-2024 18:00:00 Received On: 02-05-2024 09:00:00 Authenticated On: 02-05-2024 10:34:54 Released On: 02-05-2024 11:58:03

Released On: 02-05-2024 11:58:03 Kumareshan Sr. Technician

Sr. Technician DHA/LS2992011/243822

Padmapriya

