



Mr. ARVIND KUMAR CHAUHAN RAMESHWAR Name

DOB 15/06/1992 31 Y / Male Age / Gender Referred by DR HUMAIRA

Peshawar Medical Center LLC Centre

Ref No.

2405401635

Collected

Sample No.

02/05/2024 20:10

Registered

03/05/2024 17:44

03/05/2024 19:25 Reported

BIOCHEMISTRY

Test Result Flag Unit **Reference Range** Methodology **C-REACTIVE PROTEIN (CRP)** Immunoturbidimetry < 0.6 mg/L < 5.0

Sample Type : Serum

End of Report



Dr. Adley Mark Fernandes M.D (Pathology) **Pathologist**

P.O Box: 49527

M.D (Pathology) **Clinical Pathologist** This is an electronically authenticated report

Dr. Vyoma V Shah

Page 1 of 6

Tel: +971 4 398 8567

MOHAMMED RASHID CHENANGADATH

Laboratory Technologist Printed on: 05/05/2024 12:39

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE





reports@biosytech.ae www.biosytech.com





Ref No.

Laboratory Investigation Report

Name : Mr. ARVIND KUMAR CHAUHAN RAMESHWAR

DOB 15/06/1992 Sample No. : 2405401635 31 Y / Male Age / Gender **Collected** 02/05/2024 20:10 Referred by DR HUMAIRA Registered 03/05/2024 17:44 Peshawar Medical Center LLC 03/05/2024 19:20 Centre Reported

CLINICAL PATHOLOGY

| Test | Result Flag | g Unit | Reference Range | Methodology |
|--|-------------|---------|---------------------|-------------------------------|
| URINE ANALYSIS (ROUTINE) | | | | |
| MACROSCOPIC EXAMINATION | | | | |
| COLOR | YELLOW | | Pale to Dark Yellow | Visual |
| APPEARANCE | TURBID | | - | Visual |
| CHEMISTRY EXAMINATION SPECIFIC GRAVITY | >=1.030 | | 1.002 - 1.035 | Bromothymol blue |
| PH | 6.0 | | 4.5 - 8.0 | Litmus paper |
| GLUCOSE | NEGATIVE | | Negative | GOD / POD |
| BLOOD | NEGATIVE | | Negative | Peroxidase |
| PROTEIN | NEGATIVE | | Negative | Protein error of pH indicator |
| LEUKOCYTE ESTERASE | NEGATIVE | | Negative | Esterase |
| UROBILINOGEN | 0.2 | E.U./dL | 0.2 - 1.0 | Diazo |
| BILIRUBIN | NEGATIVE | | Negative | Diazo |
| KETONE | NEGATIVE | | Negative | Legal`s test |
| NITRITE | NEGATIVE | | Negative | Griess test |
| MICROSCOPIC EXAMINATION | | | | |
| LEUCOCYTES | 1 - 2 | /HPF | 1 - 4 | Microscopy |
| ERYTHROCYTES | 0 - 1 | /HPF | 0 - 2 | Microscopy |
| EPITHELIAL CELLS | 0 - 1 | /HPF | Variable | Microscopy |
| BACTERIA | - | /HPF | Absent | Microscopy |
| CASTS | - | /HPF | Absent | Microscopy |
| HYALINE CAST | - | /HPF | Absent | Microscopy |
| FINE GRANULAR CAST | - | /HPF | Absent | Microscopy |
| COARSE GRANUALR CAST | - | /HPF | Absent | Microscopy |
| WAXY CAST | | /HPF | Absent | Microscopy |
| FATTY CAST | - | /HPF | Absent | Microscopy |
| RBC CAST | - | /HPF | Absent | Microscopy |
| WBC CAST | - | /HPF | Absent | Microscopy |
| BACTERIAL CAST | - | /HPF | Absent | Microscopy |
| EPITHELIAL CAST | - | /HPF | Absent | Microscopy |
| CRYSTALS | - | /HPF | Absent | Microscopy |

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report

P.O Box: 49527

Printed on: 05/05/2024 12:39

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.



Page 2 of 6



Greeshma P Sidharthan

Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





Mr. ARVIND KUMAR CHAUHAN RAMESHWAR Name

DOB 15/06/1992 31 Y / Male Age / Gender Referred by DR HUMAIRA

Peshawar Medical Center LLC Centre

Ref No. Sample No. 2405401635

Registered

Collected 02/05/2024 20:10

03/05/2024 19:20 Reported

03/05/2024 17:44

CLINICAL PATHOLOGY

| Test | Result | Flag | Unit | Reference Range | Methodology |
|---|---------|------|------|-----------------|---------------------------|
| CALCIUM OXALATE | - | | /HPF | Absent | Microscopy |
| CALCIUM CARBONATE | - | | /HPF | Absent | Microscopy |
| CALCIUM PHOSPHATE | - | | /HPF | Absent | Microscopy |
| TRIPLE PHOSPHATE | - | | /HPF | Absent | Microscopy |
| URIC ACID CRYSTAL | - | | /HPF | Absent | Microscopy |
| AMMONIUM BIURATE | - 5 | | /HPF | Absent | Microscopy |
| AMORPHOUS URATES | - // | | /HPF | Absent | Microscopy |
| AMORPHOUS PHOSPHATES | Present | | /HPF | Absent | Microscopy |
| CYSTINE | - | | /HPF | Absent | Microscopy |
| LEUCINE | - | | /HPF | Absent | Microscopy |
| TYROSINE | - | | /HPF | Absent | Microscopy |
| DRUG CRYSTAL | - 5- | | /HPF | Absent | Microscopy |
| MUCUS THREADS | - | | /HPF | Absent | Microscopy |
| BUDDING YEAST CELLS | - | | /HPF | Absent | Microscopy |
| НҮРНАЕ | - \ | | /HPF | Absent | Microscopy |
| OVA | - | | /HPF | Absent | Microscopy and Micrometry |
| CYST | - | | /HPF | Absent | Microscopy |
| PARASITE | - | | /HPF | Absent | Microscopy |
| ARTIFACTS | - | | /HPF | Absent | Microscopy |
| Comments : Please correlate clinically. | | | | | |

Comments: Please correlate clinically.

Interpretation Notes:

Instrumentation used for Chemistry test: Siemens Clinitek Advantus.

Note: "-" means Absent

URINE Sample Type:

End of Report

Dr. Adley Mark Fernandes Dr. Vyoma V Shah M.D (Pathology) M.D (Pathology) **Pathologist Clinical Pathologist**

Page 3 of 6

Tel: +971 4 398 8567

Greeshma P Sidharthan

Printed on: 05/05/2024 12:39

Test result pertains only to the sample tested and to be interpreted

This is an electronically authenticated report

P.O Box: 49527

in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE





reports@biosytech.ae www.biosytech.com





Ref No.

Laboratory Investigation Report

Name : Mr. ARVIND KUMAR CHAUHAN RAMESHWAR

 DOB
 : 15/06/1992
 Sample No.
 : 2405401635

 Age / Gender
 : 31 Y / Male
 Collected
 : 02/05/2024 20:10

 Referred by
 : DR HUMAIRA
 Registered
 : 03/05/2024 17:44

 Centre
 : Peshawar Medical Center LLC
 Reported
 : 03/05/2024 19:13

HFMATOLOGY

Centre : Peshawar Medical Center LLC

| HEMATOLOGY | | | | | | | | | | |
|--------------------------------|--------|------|----------------|-----------------|-----------------------------------|--|--|--|--|--|
| Test | Result | Flag | Unit | Reference Range | Methodology | | | | | |
| COMPLETE BLOOD COUNT (CBC) | | | | | | | | | | |
| HEMOGLOBIN | 15.4 | | g/dL | 13.5 - 17.5 | Spectrophotometry (Oxyhemoglobin) | | | | | |
| RBC COUNT | 5.1 | | 10^6/μL | 4.3 - 5.7 | Electrical Impedance | | | | | |
| HEMATOCRIT | 46.5 | | % | 38 - 50 | Calculation | | | | | |
| MCV | 91.8 | | fL | 82 - 98 | Calculation | | | | | |
| мсн | 30.4 | | pg | 27 - 32 | Calculation | | | | | |
| мснс | 33.1 | | g/dL | 32 - 37 | Calculation | | | | | |
| RDW | 13.0 | | % | 11.8 - 15.6 | Calculation | | | | | |
| RDW-SD | 41.6 | | fL | | Calculation | | | | | |
| MPV | 9.5 | | fL | 7.6 - 10.8 | Calculation | | | | | |
| PLATELET COUNT | 310 | | 10^3/μL | 150 - 450 | Electrical Impedance | | | | | |
| РСТ | 0.3 | | % | 0.01 - 9.99 | Calculation | | | | | |
| PDW | 17.8 | | Not Applicable | 0.1 - 99.9 | Calculation | | | | | |
| NUCLEATED RBC (NRBC)^ | 0.2 | | /100 WBC | | Flow Cytometry | | | | | |
| ABSOLUTE NRBC COUNT^ | 0.02 | | 10^3/uL | | Calculation | | | | | |
| EARLY GRANULOCYTE COUNT (EGC)^ | 0.0 | | % | | Flow Cytometry | | | | | |
| ABSOLUTE EGC^ | 0.0 | | 10^3/uL | | Calculation | | | | | |
| WBC COUNT | 9.3 | | 10^3/μL | 4 - 11 | Electrical Impedance | | | | | |
| DIFFERENTIAL COUNT (DC) | | | | | | | | | | |
| NEUTROPHILS | 56 | | % | 40 - 75 | Flow Cytometry | | | | | |
| LYMPHOCYTES | 30 | | % | 20 - 45 | Flow Cytometry | | | | | |
| EOSINOPHILS | 7 | н | % | 0 - 6 | Flow Cytometry | | | | | |
| MONOCYTES | 6 | | % | 1 - 6 | Flow Cytometry | | | | | |
| BASOPHILS | 1 | | % | 0 - 1 | Flow Cytometry | | | | | |
| ABSOLUTE COUNT | | | | | | | | | | |
| ABSOLUTE NEUTROPHIL COUNT | 5.2 | | 10^3/uL | 1.6 - 8.25 | Calculation | | | | | |
| ABSOLUTE LYMPHOCYTE COUNT | 2.8 | | 10^3/uL | 0.8 - 4.95 | Calculation | | | | | |
| ABSOLUTE MONOCYTE COUNT | 0.5 | | 10^3/uL | 0.04 - 0.66 | Calculation | | | | | |
| ABSOLUTE EOSINOPHIL COUNT | 0.6 | | 10^3/uL | 0 - 0.66 | Calculation | | | | | |
| ABSOLUTE BASOPHIL COUNT | 0.1 | | 10^3/uL | 0 - 0.11 | Calculation | | | | | |

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report Page 4 of 6

100

JAYADEV C J Laboratory Technologist Printed on: 05/05/2024 12:39

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





Mr. ARVIND KUMAR CHAUHAN RAMESHWAR Name

DOB 15/06/1992 31 Y / Male Age / Gender Referred by DR HUMAIRA

Peshawar Medical Center LLC Centre

Ref No.

Sample No. 2405401635

Collected 02/05/2024 20:10 Registered 03/05/2024 17:44


Reported 03/05/2024 19:13

HEMATOLOGY

Test Result Flag Unit **Reference Range** Methodology

COMPLETE BLOOD COUNT (CBC)

Interpretation Notes: Please note update on CBC report format and changes in reference ranges.



Dr. Adley Mark Fernandes M.D (Pathology) **Pathologist**

M.D (Pathology) **Clinical Pathologist** This is an electronically authenticated report

Dr. Vyoma V Shah

Page 5 of 6

JAYADEV C J Laboratory Technologist Printed on: 05/05/2024 12:39

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





Mr. ARVIND KUMAR CHAUHAN RAMESHWAR Name

DOB 15/06/1992

Age / Gender 31 Y / Male Referred by DR HUMAIRA

Peshawar Medical Center LLC Centre

Ref No.

Sample No. 2405401635

Collected Registered 02/05/2024 20:10 03/05/2024 17:44

Reported 03/05/2024 19:13

HAEMATOLOGY

Reference Range Result Flag Unit Methodology **Test**

ERYTHROCYTE SEDIMENTATION RATE (ESR) mm/hr < 15 **Automated** 14

Please note change in reference range and method.


Interpretation Notes:

Increased ESR is seen in inflammation, pregnancy, anemia, autoimmune disorders (such as rheumatoid arthritis and lupus), infections, some kidney diseases and some cancers (such as lymphoma and multiple myeloma).

The ESR is decreased in polycythemia, hyperviscosity, sickle cell anemia, leukemia, low plasma protein (due to liver or kidney disease), congestive heart failure, hypofibrinogenemia and leukocytosis.

Sample Type : EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes M.D (Pathology) **Pathologist**

P.O Box: 49527

M.D (Pathology) **Clinical Pathologist** This is an electronically authenticated report

Dr. Vyoma V Shah

Page 6 of 6

Tel: +971 4 398 8567

JAYADEV C J **Laboratory Technologist**

Printed on: 05/05/2024 12:39

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE





reports@biosytech.ae