

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



: AAL02-391748

: Dr. Humairah Tabassum

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

: UPALI SRI SAMARATHUNGA RAJAPAKSHA File. No. Name

AMIYANGODA GEDARA

DOB/Gender : 19-10-1980 (43 Yrs 6 Month 5 Days/Male) Referral Doctor

Lab No. : 22241250076 Referral Clinic : Peshawar(Irham Medical Center)

Request Date: 04-05-2024 13:08:15 Clinic File No

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	2.79	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assav

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 03-05-2024 19:00:00 Received On: 04-05-2024 13:09:00 Authenticated On: 04-05-2024 14:23:48

Released On: 04-05-2024 14:28:30

Kumareshan Sr. Technician

Padmapriya

DHA/LS2992011/243822



