

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : GHADEER HASAN AL ASFOUR File. No. : AAL02-393515

DOB/Gender

: 22-01-1990 (34 Yrs 4 Month 15 Days/Female) Referral Doctor : Dr. Humairah Tabassum

Lab No. : 22241340081 Referral Clinic : Peshawar(Irham Medical Center)

Request Date : 13-05-2024 11:45:32 Clinic File No : 30563

Insurance : NEXTCARE

**CLINICAL BIOCHEMISTRY** 

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	63.30 <sup>H</sup>	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assav

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 11-05-2024 20:00:00 Received On: 13-05-2024 11:46:00 Authenticated On: 13-05-2024 14:16:33

Released On: 13-05-2024 14:17:30

Kumareshan Sr. Technician DHA/LS2992011/243822

**Padmapriya** 

MEDSOL-RPT-2.3(1/19)

