

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : PANKAJ KUMAR PRAKASH CHAND

File. No. : AAL02-393597 Referral Doctor

DOB/Gender

: 23-05-1993 (30 Yrs 12 Month 6 Days/Male)

: Dr. Humairah Tabassum

Lab No.

: 22241340077

Referral Clinic : Peshawar(Irham Medical Center)

Request Date : 13-05-2024 11:41:10

Clinic File No : 36734

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	26.60 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 11-05-2024 18:00:00

Authenticated On: 13-05-2024 14:10:59

Received On: 13-05-2024 11:43:00 Released On: 13-05-2024 14:17:30

Padmapriya

Kumareshan Sr. Technician

DHA/LS2992011/243822

