

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : CHHAR BAHADUR BOMJAN

DOB/Gender : 11-04-1996 (28 Yrs 1 Month 31 Days/Male)

Lab No. : 22241330182

Request Date : 12-05-2024 15:10:06

: NAS ADMINISTRATION SERVICES LTD Insurance

File. No. : AAL02-362407

Referral Doctor : Dr. Humairah Tabassum

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 40873

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	1.65	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 11-05-2024 19:35:00 Received On: 12-05-2024 15:10:00 Authenticated On: 12-05-2024 17:44:58

Released On: 12-05-2024 18:21:55

Laboratory Technician DHA-P-0039673

Wasik Hasan Tisekar

