

LABORATORY REPORT

Name : **RENATO PELAYO BATO** File. No. : **AAL02-393588**
DOB/Gender : **29-07-1984 (39 Yrs 9 Month 13 Days/Male)** Referral Doctor : **Dr. Humairah Tabassum**
Lab No. : **22241330131** Referral Clinic : **Peshawar(Irham Medical Center)**
Request Date : **12-05-2024 14:01:29** Clinic File No : **43093**
Insurance : **NATIONAL GENERAL INSURANCE (HEALTHNET)**

HEPATIC FUNCTION PANEL WITH AG RATIO (LIVER FUNCTION TEST)
CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Bilirubin - Total	0.41	mg/dL	0.20-1.20	DIAZO
Please note Reference Range Reviewed w.ef 15/10/23				
Bilirubin - Direct	0.14	mg/dL	0.00-0.5	DIAZO
Please note Reference Range Reviewed w.ef 15/10/23				
Alkaline Phosphatase	76.40	U/L	40-129	Colorimetric -P-NPT
Please note Reference Range Reviewed w.ef 15/10/23				
Alanine Aminotransferase (ALT / GPT)	51.40^H	U/L	10.0 - 50.0	NADH w/ P5P
Please note Reference Range Reviewed w.ef 15/10/23				
Aspartate Aminotransferase(AST / GOT)	36.70	U/L	10 - 50	NADH w/ P5P
Please note Reference Range Reviewed w.ef 15/10/23				
Protein - Total	7.94	g/dL	6.40 - 8.30	Colorimetric - Biuret
Please note Reference Range Reviewed w.ef 15/10/23.				
Albumin	4.85	g/dL	3.97 - 4.94	Colorimetric - BCG
Please note Reference Range Reviewed w.ef 15/10/23				
*Globulin (serum)	3.09	g/dL	2.50 - 3.50	Calculation
*Albumin/Globulin Ratio	1.57	Ratio	1.10 - 2.50	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 11-05-2024 18:00:00
Authenticated On : 12-05-2024 20:31:01

Received On : 12-05-2024 14:05:00
Released On : 12-05-2024 21:01:03

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673