

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ Dubai Accreditation Department for ISO 15189 المارة دبن للإعتماد طبقا لمواصفات الأيزو

## LABORATORY REPORT

Name : ANANT GOPICHAND KADU KADU **GOPICHAND LAXMAN** 

: AAL02-389999

DOB/Gender : 13-05-1982 (42 Yrs 17 Days/Male)

Lab No.

Referral Doctor : Dr. Enomen Goodluck Ekata

: 22241400198

Referral Clinic

: Peshawar(Irham Medical Center)

Request Date : 19-05-2024 15:19:55

File. No.

Clinic File No

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

## IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
H.pylori Abs - IgG	8.9 <sup>H</sup>	UA/mL	Negative: < 8 Doubtfull: 8 - 12	ELISA
			Positive: > 12	

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 18-05-2024 20:00:00

Authenticated On: 20-05-2024 13:10:18

Received On: 19-05-2024 15:21:00 Released On: 20-05-2024 13:12:40

Kumareshan Sr. Technician

**Padmapriya** 

DHA/LS2992011/243822

