



BML403246

Laboratory Investigation Report


Name	: Miss. STAMATIA VIMBAINASHE CHIRIMA	Ref No.	: 38501
DOB	: 10/09/1993	Sample No.	: 2405411295
Age / Gender	: 30 Y / Female	Collected	: 18/05/2024 15:10
Referred by	: Dr. Enomen Goodluck Ekata	Registered	: 18/05/2024 22:06
Centre	: Peshawar Medical Center LLC	Reported	: 19/05/2024 01:33

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
POTASSIUM (K)	5.0		mmol/L	3.5 - 5.1 Please note change. Source: Roche IFU.	ISE (Indirect)

Sample Type : Serum

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 1 of 5



JAYADEV C J
Laboratory Technologist
Printed on: 19/05/2024 12:31

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML403246

Laboratory Investigation Report

Name	: Miss. STAMATIA VIMBAINASHE CHIRIMA	Ref No.	: 38501
DOB	: 10/09/1993	Sample No.	: 2405411295
Age / Gender	: 30 Y / Female	Collected	: 18/05/2024 15:10
Referred by	: Dr. Enomen Goodluck Ekata	Registered	: 18/05/2024 22:06
Centre	: Peshawar Medical Center LLC	Reported	: 19/05/2024 01:19

CLINICAL PATHOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
URINE ANALYSIS (ROUTINE)					
MACROSCOPIC EXAMINATION					
COLOR	YELLOW			Pale to Dark Yellow	Visual
APPEARANCE	TURBID			-	Visual
CHEMISTRY EXAMINATION					
SPECIFIC GRAVITY	1.02			1.002 - 1.035	Bromothymol blue
PH	7.5			4.5 - 8.0	Litmus paper
GLUCOSE	NEGATIVE			Negative	GOD / POD
BLOOD	NEGATIVE			Negative	Peroxidase
PROTEIN	NEGATIVE			Negative	Protein error of pH indicator
LEUCOCYTE ESTERASE	NEGATIVE			Negative	Esterase
UROBILINOGEN	0.2		E.U./dL	0.2 - 1.0	Diazo
BILIRUBIN	NEGATIVE			Negative	Diazo
KETONE	NEGATIVE			Negative	Legal's test
NITRITE	NEGATIVE			Negative	Griess test
MICROSCOPIC EXAMINATION					
LEUCOCYTES	1 - 2		/HPF	1 - 4	Microscopy
ERYTHROCYTES	0 - 1		/HPF	0 - 2	Microscopy
EPITHELIAL CELLS	20 - 25		/HPF	Variable	Microscopy
BACTERIA	Present		/HPF	Absent	Microscopy
CASTS	-		/HPF	Absent	Microscopy
HYALINE CAST	-		/HPF	Absent	Microscopy
FINE GRANULAR CAST	-		/HPF	Absent	Microscopy
COARSE GRANULAR CAST	-		/HPF	Absent	Microscopy
WAXY CAST	-		/HPF	Absent	Microscopy
FATTY CAST	-		/HPF	Absent	Microscopy
RBC CAST	-		/HPF	Absent	Microscopy
WBC CAST	-		/HPF	Absent	Microscopy
BACTERIAL CAST	-		/HPF	Absent	Microscopy
EPITHELIAL CAST	-		/HPF	Absent	Microscopy
CRYSTALS	-		/HPF	Absent	Microscopy

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

MOHAMMED RASHID CHENANGADATH

Laboratory Technologist

This is an electronically authenticated report

Page 2 of 5

Printed on: 19/05/2024 12:31

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML403246

Laboratory Investigation Report

Name	: Miss. STAMATIA VIMBAINASHE CHIRIMA	Ref No.	: 38501
DOB	: 10/09/1993	Sample No.	: 2405411295
Age / Gender	: 30 Y / Female	Collected	: 18/05/2024 15:10
Referred by	: Dr. Enomen Goodluck Ekata	Registered	: 18/05/2024 22:06
Centre	: Peshawar Medical Center LLC	Reported	: 19/05/2024 01:19

CLINICAL PATHOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
CALCIUM OXALATE	-		/HPF	Absent	Microscopy
CALCIUM CARBONATE	-		/HPF	Absent	Microscopy
CALCIUM PHOSPHATE	-		/HPF	Absent	Microscopy
TRIPLE PHOSPHATE	-		/HPF	Absent	Microscopy
URIC ACID CRYSTAL	-		/HPF	Absent	Microscopy
AMMONIUM BIURATE	-		/HPF	Absent	Microscopy
AMORPHOUS URATES	-		/HPF	Absent	Microscopy
AMORPHOUS PHOSPHATES	Present		/HPF	Absent	Microscopy
CYSTINE	-		/HPF	Absent	Microscopy
LEUCINE	-		/HPF	Absent	Microscopy
TYROSINE	-		/HPF	Absent	Microscopy
DRUG CRYSTAL	-		/HPF	Absent	Microscopy
MUCUS THREADS	-		/HPF	Absent	Microscopy
BUDDING YEAST CELLS	-		/HPF	Absent	Microscopy
HYPHAE	-		/HPF	Absent	Microscopy
OVA	-		/HPF	Absent	Microscopy and Micrometry
CYST	-		/HPF	Absent	Microscopy
PARASITE	-		/HPF	Absent	Microscopy
ARTIFACTS	-		/HPF	Absent	Microscopy

Comments : Please correlate clinically.

Interpretation Notes :

Instrumentation used for Chemistry test: Siemens Clinitek Advantus.

Note: "-" means Absent

Sample Type : URINE

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 3 of 5



MOHAMMED RASHID CHENANGADATH
Laboratory Technologist

Printed on: 19/05/2024 12:31

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML403246

Laboratory Investigation Report

Name	: Miss. STAMATIA VIMBAINASHE CHIRIMA	Ref No.	: 38501
DOB	: 10/09/1993	Sample No.	: 2405411295
Age / Gender	: 30 Y / Female	Collected	: 18/05/2024 15:10
Referred by	: Dr. Enomen Goodluck Ekata	Registered	: 18/05/2024 22:06
Centre	: Peshawar Medical Center LLC	Reported	: 18/05/2024 23:47

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	10.0	L	g/dL	12 - 15.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	3.5	L	10 ⁶ /μL	3.9 - 5	Electrical Impedance
HEMATOCRIT	29.6	L	%	35 - 45	Calculation
MCV	83.8		fL	82 - 98	Calculation
MCH	28.2		pg	27 - 32	Calculation
MCHC	33.7		g/dL	32 - 37	Calculation
RDW	15		%	11.9 - 15.5	Calculation
RDW-SD	44.2		fL		Calculation
MPV	8.8		fL	7.6 - 10.8	Calculation
PLATELET COUNT	264		10 ³ /μL	150 - 450	Electrical Impedance
PCT	0.2		%	0.01 - 9.99	Calculation
PDW	17.1		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC) [^]	0.2		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT [^]	0.01		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC) [^]	0.7		%		Flow Cytometry
ABSOLUTE EGC [^]	0.1		10 ³ /uL		Calculation
WBC COUNT	6.9		10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	64		%	40 - 75	Flow Cytometry
LYMPHOCYTES	27	L	%	30 - 60	Flow Cytometry
EOSINOPHILS	3		%	0 - 6	Flow Cytometry
MONOCYTES	6		%	1 - 6	Flow Cytometry
BASOPHILS	0		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	4.4		10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	1.8		10 ³ /uL	1.2 - 6.6	Calculation
ABSOLUTE MONOCYTE COUNT	0.4		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.2		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.0		10 ³ /uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist



MUBASHER ZAHOOR
Laboratory Technologist

This is an electronically authenticated report

Page 4 of 5

Printed on: 19/05/2024 12:31

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Laboratory Investigation Report

Name	: Miss. STAMATIA VIMBAINASHE CHIRIMA	Ref No.	: 38501
DOB	: 10/09/1993	Sample No.	: 2405411295
Age / Gender	: 30 Y / Female	Collected	: 18/05/2024 15:10
Referred by	: Dr. Enomen Goodluck Ekata	Registered	: 18/05/2024 22:06
Centre	: Peshawar Medical Center LLC	Reported	: 18/05/2024 23:47

HEMATOLOGY


Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------

COMPLETE BLOOD COUNT (CBC)

Interpretation Notes : Please note update on CBC report format and changes in reference ranges.

Sample Type : EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

Mubasher

MUBASHER ZAHOOR
Laboratory Technologist

This is an electronically authenticated report

Page 5 of 5

Printed on: 19/05/2024 12:31

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

