



BML403855

Laboratory Investigation Report

Name	: Mr. RAMY ROMEL DEEB	Ref No.	: 43047
DOB	: 18/09/1992	Sample No.	: 2405411938
Age / Gender	: 31 Y / Male	Collected	: 18/05/2024 21:00
Referred by	: Dr. Enomen Goodluck Ekata	Registered	: 19/05/2024 18:54
Centre	: Peshawar Medical Center LLC	Reported	: 19/05/2024 20:39


BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
C-REACTIVE PROTEIN (CRP)	107	CH	mg/L	< 5.0 Please note change. Source: Roche IFU.	Immunoturbidimetry

Comments : Please correlate clinically

Sample Type : Serum

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 1 of 3



MOHAMMED RASHID CHENANGADATH
Laboratory Technologist

Printed on: 20/05/2024 09:30

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML403855

Laboratory Investigation Report

Name : Mr. RAMY ROMEL DEEB
DOB : 18/09/1992
Age / Gender : 31 Y / Male
Referred by : Dr. Enomen Goodluck Ekata
Centre : Peshawar Medical Center LLC

Ref No. : 43047
Sample No. : 2405411938
Collected : 18/05/2024 21:00
Registered : 19/05/2024 18:54
Reported : 19/05/2024 21:31

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	13.7		g/dL	13.5 - 17.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	4.9		10 ⁶ /μL	4.3 - 5.7	Electrical Impedance
HEMATOCRIT	40.5		%	38 - 50	Calculation
MCV	81.9	L	fL	82 - 98	Calculation
MCH	27.6		pg	27 - 32	Calculation
MCHC	33.7		g/dL	32 - 37	Calculation
RDW	14.1		%	11.8 - 15.6	Calculation
RDW-SD	40.7		fL		Calculation
MPV	10.8		fL	7.6 - 10.8	Calculation
PLATELET COUNT	131	L	10 ³ /μL	150 - 450	Electrical Impedance
PCT	0.1		%	0.01 - 9.99	Calculation
PDW	18.2		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC) [^]	2.9		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT [^]	0.35		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC) [^]	1.0		%		Flow Cytometry
ABSOLUTE EGC [^]	0.1		10 ³ /uL		Calculation
WBC COUNT	12.3	H	10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	80	H	%	40 - 75	Flow Cytometry
LYMPHOCYTES	13	L	%	20 - 45	Flow Cytometry
EOSINOPHILS	0		%	0 - 6	Flow Cytometry
MONOCYTES	6		%	1 - 6	Flow Cytometry
BASOPHILS	1		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	9.8	H	10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	1.7		10 ³ /uL	0.8 - 4.95	Calculation
ABSOLUTE MONOCYTE COUNT	0.7	H	10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.0		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.1		10 ³ /uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist



Reena Babu
Laboratory Technologist

This is an electronically authenticated report

Page 2 of 3

Printed on: 20/05/2024 09:30

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML403855

Laboratory Investigation Report

Name	: Mr. RAMY ROMEL DEEB	Ref No.	: 43047
DOB	: 18/09/1992	Sample No.	: 2405411938
Age / Gender	: 31 Y / Male	Collected	: 18/05/2024 21:00
Referred by	: Dr. Enomen Goodluck Ekata	Registered	: 19/05/2024 18:54
Centre	: Peshawar Medical Center LLC	Reported	: 19/05/2024 21:31

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------


COMPLETE BLOOD COUNT (CBC)

Comments : Please correlate clinically.

Interpretation Notes : Please note update on CBC report format and changes in reference ranges.

Sample Type : EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist



Reena Babu
Laboratory Technologist

This is an electronically authenticated report

Page 3 of 3

Printed on: 20/05/2024 09:30

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

