

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : JASMIN SULAIMAN LISA

DOB/Gender : (31 Yrs /Female)

Lab No. : 22241430007

Request Date : 22-05-2024 10:26:23 : NAS ADMINISTRATION SERVICES LTD Insurance

File. No. : AAL02-395522

Referral Doctor : Dr. Humairah Tabassum

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 40050

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	10.10 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 20-05-2024 16:00:00 Received On: 22-05-2024 10:27:00

Authenticated On: 22-05-2024 13:37:46

Released On: 22-05-2024 14:10:00

Kumareshan Sr. Technician

Padmapriya

DHA/LS2992011/243822

