

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : SOUKAINA BENRAQQOUCH File. No. : AAL02-395481

DOB/Gender

: 23-12-1992 (31 Yrs 5 Month 11 Days/Female) Referral Doctor

: Dr. Humairah Tabassum

Lab No.

: 22241430006

Referral Clinic

: Peshawar(Irham Medical Center)

Request Date : 22-05-2024 10:14:15

Clinic File No : 30914

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	21.10 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assav

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 20-05-2024 20:00:00

Authenticated On: 22-05-2024 13:37:00 Released On: 22-05-2024 14:10:00

Received On: 22-05-2024 10:15:00

MEDSOL-RPT-2.3(1/19)

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822

