



Laboratory Investigation Report

Name	: NISREEN SA	Ref No.	: 43173
DOB	: 01/01/1979	Sample No.	: 2405413183
Age / Gender	: 45 Y / Female	Collected	: 21/05/2024 11:00:00
Referred by	: Peshawar Medical Center LLC	Registered	: 21/05/2024 17:09:58
Centre	: Peshawar Medical Center LLC	Reported	: 23/05/2024 14:49:21

MICROBIOLOGY

Test	: CULTURE AND SENSITIVITY (URINE)
Specimen	: URINE
Colony Count	: >100,000 CFU/mL
Gram stain	: Gram negative bacilli.
ResultType	: Growth

A : Eschericia coli

Antibiotic Susceptibility : (Antibiogram)

A : Eschericia coli

Sensitive	Resistant	Intermediate
Amikacin	Amoxicillin- clavulanic acid	Cefipime
Cefixime	Cefuroxime	Cefpodoxime
cefotaxim	Pipracillin-tazobactam	
Ceftazidime	Tetracycline	
ceftriaxone	Tobramycin	
chloramphenicol		
Ciprofloxacin		
Fosfomycin		
Gentamicin		
imipenem		
Levofloxacin		
Meropenam		
NALIDIXIC ACID		
NORFLOXACIN		

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

FATHIMA MUHAMMED SAFIR

Microbiology Technologist
Printed on: 22/06/2024 18:08

This is an electronically authenticated report
Final Report

Page 1 of 2

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Laboratory Investigation Report

Name	: NISREEN SA	Ref No.	: 43173
DOB	: 01/01/1979	Sample No.	: 2405413183
Age / Gender	: 45 Y / Female	Collected	: 21/05/2024 11:00:00
Referred by	: Peshawar Medical Center LLC	Registered	: 21/05/2024 17:09:58
Centre	: Peshawar Medical Center LLC	Reported	: 23/05/2024 14:49:21

Trimethoprim- sulphamethoxazole		
------------------------------------	--	--

InterNote: Incubation period may take 24 - 72 hours.

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report
Final Report


FATHIMA MUHAMMED SAFIR

Microbiology Technologist
Printed on: 22/06/2024 18:08

Page 2 of 2

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

