

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : SACHIN VITHAL BAUKAR

DOB/Gender : 10-12-1984 (39 Yrs 5 Month 13 Days/Male)

Lab No. : 22241440003

Request Date : 23-05-2024 07:36:29

Insurance

: NAS ADMINISTRATION SERVICES LTD

File. No. : AAL02-348631

Referral Doctor : Dr. Humairah Tabassum

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 41062

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	1.71	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 21-05-2024 18:00:00 Received On: 23-05-2024 07:36:00 Authenticated On: 23-05-2024 13:09:53

Released On: 23-05-2024 13:36:40

MEDSOL-RPT-2.3(1/19)

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822

