

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : AREEBA AFTAB MUHAMMAD ALI FAROOQ File. No. : AAL02-396783 DOB/Gender : 19-03-1999 (25 Yrs 2 Month 21 Days/Female) Referral Doctor : Dr. Humaira Mumtaz

Lab No. : 22241490013 Referral Clinic : Peshawar(Irham Medical Center)

Request Date : 28-05-2024 10:34:01 Clinic File No : 40172

Insurance : NEXTCARE

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	45.00 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 27-05-2024 20:00:00 Received On: 28-05-2024 10:34:00

Authenticated On: 28-05-2024 14:01:28

Released On: 28-05-2024 14:35:36

MEDSOL-RPT-2.3(1/19)

Padmapriya Kumareshan

Sr. Technician DHA/LS2992011/243822

