

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : NITHIN KUMAR THEKKE KARA File. No.

: AAL02-376364

DOB/Gender

: 26-06-1990 (33 Yrs 11 Month 3 Days/Male)

Referral Doctor : Dr. Humaira Mumtaz

Lab No.

: 22241500001

Referral Clinic

: Peshawar(Irham Medical Center)

Request Date : 29-05-2024 08:22:48

Clinic File No

: 31638

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	2.26	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 28-05-2024 12:00:00 Received On: 29-05-2024 08:23:00

Authenticated On: 29-05-2024 13:03:51

Released On: 29-05-2024 13:11:15

Kumareshan Sr. Technician DHA/LS2992011/243822

Padmapriya

