

LABORATORY REPORT

Name	: MUHAMMAD SHAKEEL MUHAMMAD SIDDIQUE	File. No.	: AAL02-371435
DOB/Gender	: 15-01-1985 (39 Yrs 4 Month 8 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22241540143	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 02-06-2024 14:47:08	Clinic File No	: 37693
Insurance	: NEXTCARE		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.34	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	15.7	g/dl	13.0 - 17.0	Photometry-SLS
HCT	45.0	%	40.0 - 50.0	Hydrodynamic focusing (HF)
MCV	84.3	fl	83.0 - 101.0	Calculation
MCH	29.4	pg	27-32	Calculation
MCHC	34.9 ^H	g/dL	31.5 - 34.5	Calculation
Platelet Count	235	10 ³ /uL	150 - 400	HF (DCD)
WBC	7.99	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	59.9	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	25.4	%	20.0 - 40.0	Flow Cytometry
Monocytes	10.0	%	2.0-10.0	Flow Cytometry
Eosinophils	3.9	%	1 - 6	Flow Cytometry
Basophils	0.8	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	4.79	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.03	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.80	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.31	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.06	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 01-06-2024 18:00:00
Authenticated On : 02-06-2024 21:27:18

Received On : 02-06-2024 14:48:00
Released On : 02-06-2024 22:19:06



Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639

LABORATORY REPORT

Name	: MUHAMMAD SHAKEEL MUHAMMAD SIDDIQUE	File. No.	: AAL02-371435
DOB/Gender	: 15-01-1985 (39 Yrs 4 Month 8 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22241540143	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 02-06-2024 14:47:08	Clinic File No	: 37693
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 01-06-2024 18:00:00
Authenticated On : 02-06-2024 21:27:18

Received On : 02-06-2024 14:48:00
Released On : 02-06-2024 22:19:06



Rhea Suberon
Medical Laboratory
Technician
DHA/LS/123639

LABORATORY REPORT

Name	: MUHAMMAD SHAKEEL MUHAMMAD SIDDIQUE	File. No.	: AAL02-371435
DOB/Gender	: 15-01-1985 (39 Yrs 4 Month 8 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22241540143	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 02-06-2024 14:47:08	Clinic File No	: 37693
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	3.67	mg/L	Negative < or = to 5.0	Immunoturbidimetric Assay

CRP is an acute phase protein whose concentration rises non-specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only to the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 01-06-2024 18:00:00
Authenticated On : 02-06-2024 21:27:18

Received On : 02-06-2024 14:48:00
Released On : 02-06-2024 22:19:06



Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639